

Datasheet for ABIN6989412

anti-IRS1 antibody (pTyr632)



Overview

| Overview | | |
|----------------------|--|--|
| Quantity: | 100 μL | |
| Target: | IRS1 | |
| Binding Specificity: | pTyr632 | |
| Reactivity: | Human, Mouse, Rat, Pig, Rabbit, Dog, Cow, Sheep | |
| Host: | Rabbit | |
| Clonality: | Polyclonal | |
| Conjugate: | This IRS1 antibody is un-conjugated | |
| Application: | Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Flow Cytometry (FACS) | |
| Product Details | | |
| Immunogen: | KLH conjugated Synthesised phosphopeptide derived from human IRS1 around the | |
| | phosphorylation site of Tyr632 | |
| Isotype: | IgG | |
| Cross-Reactivity: | Cow, Dog, Human, Mouse, Pig, Rabbit, Rat, Sheep | |
| Purification: | Purified by Protein A. | |
| Target Details | | |
| Target: | IRS1 | |
| Alternative Name: | IRS1 (IRS1 Products) | |
| Background: | Synonyms: IRS1 (phospho Tyr632), IRS1 (phospho Y632), p-IRS1 (phospho Y632), HIRS 1, | |
| | | |

HIRS1, Insulin Receptor Substrate 1, IRS 1, IRS-1, IRS1, IRS1_HUMAN, OTTHUMP00000164234. Background: Insulin receptor substrates (IRS) are responsible for several insulin related activities, such as glucose homeostasis, cell growth, cell transformation, apoptosis and insulin signal transduction. Serine/threonine phosphorylation of IRS1 has been demonstrated to be a negative regulator of insulin signaling and is responsible for its degradation, although IRS1 degradation pathways are not well understood. IRS1 has also been shown to be constitutively activated in cancers such as breast cancer, Wilm's tumors, and adrenal cortical carcinomas, thus making IRS1 phosphorylation and subsequent degradation an attractive therapeutic target. To date there have been four subtypes identified: IRS1, 2, 3 and 4, with IRS1 being widely expressed.

Gene ID: 3667

UniProt: P35568

Pathways: Fc-epsilon Receptor Signaling Pathway, EGFR Signaling Pathway, Neurotrophin Signaling

Pathway, Positive Regulation of Peptide Hormone Secretion, Hormone Transport, Negative

Regulation of Hormone Secretion, Response to Growth Hormone Stimulus, Carbohydrate

Homeostasis, Regulation of Carbohydrate Metabolic Process

Application Details

Application Notes: FCM 1:20-100

IHC-P 1:200-400

Restrictions: For Research Use only

Handling

| папишпу | | |
|--------------------|--|--|
| Format: | Liquid | |
| Concentration: | 1 μg/μL | |
| Buffer: | 0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol. | |
| Preservative: | ProClin | |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. | |
| Storage: | 4 °C,-20 °C | |
| Storage Comment: | Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles. | |

| ш | Jand | lina |
|---|-------|--------|
| г | land | 1111() |
| • | 10110 | 9 |

Expiry Date:

12 months