

Datasheet for ABIN6989477

anti-Fibronectin 1 antibody (AA 2201-2300)



Overview

Quantity:	100 μL
Target:	Fibronectin 1 (FN1)
Binding Specificity:	AA 2201-2300
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Fibronectin 1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunofluorescence (Cultured Cells) (IF (cc)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunocytochemistry (ICC)

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human Fibronectin/Ugl-Y3
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Dog,Cow,Pig,Horse,Chicken,Rabbit
Purification:	Purified by Protein A.

Target Details

Target: Fibronectin 1 (FN1)

Target Details

- Target Details		
Alternative Name:	Fibronectin/Ugl-Y3 (FN1 Products)	
Background:	Synonyms: CIG, Cold insoluble globulin, DKFZp686F10164, DKFZp686H0342, DKFZp686I1370	
	DKFZp686O13149, ED B, ED-B, fibronectin 1, FINC, FN 1, FN, FN1, FNZ, GFND, GFND2, LETS,	
	Migration stimulating factor, MSF, Transformation sensitive protein, FINC_HUMAN, Fibronecting	
	Cold-insoluble globulin, Ugl-Y3.	
	Background: This gene encodes fibronectin, a glycoprotein present in a soluble dimeric form in	
	plasma, and in a dimeric or multimeric form at the cell surface and in extracellular matrix.	
	Fibronectin is involved in cell adhesion and migration processes including embryogenesis,	
	wound healing, blood coagulation, host defense, and metastasis. The gene has three regions	
	subject to alternative splicing, with the potential to produce 20 different transcript variants.	
	However, the full-length nature of some variants has not been determined. [provided by RefSec	
	Jul 2008].	
Gene ID:	2335	
UniProt:	P02751	
Pathways:	Cellular Response to Molecule of Bacterial Origin, Carbohydrate Homeostasis, Autophagy	
Application Details		
Application Notes:	WB 1:300-5000	
	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
	ICC 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	

Handling

Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months