antibodies -online.com





anti-RBMXL1 antibody (AA 181-280)



Go to Product page

()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Quantity:	100 μL	
Target:	RBMXL1	
Binding Specificity:	AA 181-280	
Reactivity:	Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This RBMXL1 antibody is un-conjugated	
Application:	ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffinembedded Sections) (IF (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC)	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human RBMXL1
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human,Mouse,Sheep,Pig,Horse,Rabbit
Purification:	Purified by Protein A.

Target Details

|--|

Target Details

Alternative Name:	RBMXL1 (RBMXL1 Products)	
Background:	Synonyms: Heterogeneous nuclear ribonucleoprotein G-like 1, N-terminally processed, RBM1,	
	RBMXL1, RMXL1_HUMAN, RNA binding motif protein, RNA binding motif protein X linked like 1,	
	X-linked-like-1.	
	Background: This gene represents a retrogene of RNA binding motif protein, X-linked (RBMX),	
	which is located on chromosome X. While all introns in the coding sequence have been	
	processed out compared to the RBMX locus, the ORF is intact and there is specific evidence for	
	transcription at this location. The preservation of the ORF by purifying selection in all Old World	
	monkeys carrying it suggests that this locus is likely to be functional, possibly during male	
	meiosis when X chromosomal genes are silenced or during haploid stages of spermatogenesis	
	This gene shares 5' exon structure with the cysteine conjugate-beta lyase 2 locus on	
	chromosome 1, but the coding sequences are non-overlapping. Alternative splicing results in	
	two transcript variants. [provided by RefSeq, Jun 2009]	
Gene ID:	494115	
UniProt:	Q96E39	
Pathways:	Ribonucleoprotein Complex Subunit Organization	
Application Details		
Application Notes:	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
	ICC 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	

Handling

Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months