# antibodies -online.com





# anti-IRS2 antibody (AA 461-560)



#### Overview

Quantity:	100 μL
Target:	IRS2
Binding Specificity:	AA 461-560
Reactivity:	Human, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This IRS2 antibody is un-conjugated
Application:	ELISA, Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunocytochemistry (ICC)

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human IRS-2
Isotype:	IgG
Cross-Reactivity:	Human, Rat
Predicted Reactivity:	Mouse,Horse
Purification:	Purified by Protein A.

#### **Target Details**

Target: IRS2
--------------

## Target Details

Alternative Name:	IRS-2 (IRS2 Products)
Background:	Synonyms: Insulin Receptor Substrate 2, IRS 2, IRS-2, IRS2, IRS2_HUMAN.
	Background: This gene encodes the insulin receptor substrate 2, a cytoplasmic signaling
	molecule that mediates effects of insulin, insulin-like growth factor 1, and other cytokines by
	acting as a molecular adaptor between diverse receptor tyrosine kinases and downstream
	effectors. The product of this gene is phosphorylated by the insulin receptor tyrosine kinase
	upon receptor stimulation, as well as by an interleukin 4 receptor-associated kinase in response
	to IL4 treatment. [provided by RefSeq, Jul 2008]
Gene ID:	8660
UniProt:	Q9Y4H2
Pathways:	Fc-epsilon Receptor Signaling Pathway, EGFR Signaling Pathway, Neurotrophin Signaling
	Pathway, Positive Regulation of Peptide Hormone Secretion, Response to Growth Hormone
	Stimulus, Carbohydrate Homeostasis, Regulation of Carbohydrate Metabolic Process
Application Details	
Application Notes:	ELISA 1:500-1000
	FCM 1:20-100
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
	ICC 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.

## Handling

Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months