

Datasheet for ABIN6989627 **anti-DFFA antibody**



[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	DFFA
Reactivity:	Human
Host:	Rabbit
Clonality:	Monoclonal
Conjugate:	This DFFA antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Flow Cytometry (FACS)

Product Details

Immunogen:	Synthetic Peptide within human ICAD aa 1-200.
Clone:	12H9
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	Purified by Protein A.

Target Details

Target:	DFFA
Alternative Name:	ICAD (DFFA Products)
Background:	Optional[synonyms]: A330085009Rik antibody, Caspase activated deoxyribonuclease inhibitor

Target Details

short form antibody, DFF 1 antibody, DFF 45 antibody, DFF alpha antibody, DFF-45 antibody, DFF1 antibody, DFF35 antibody, DFF45 antibody, DFFA antibody, Dffa DNA fragmentation factor, alpha subunit antibody, DFFA_HUMAN antibody, DNA fragmentation factor 45 kDa subunit antibody, DNA Fragmentation Factor Alpha Subunit antibody, DNA fragmentation factor subunit alpha antibody, DNA fragmentation factor, 45 kD, alpha subunit antibody, DNA fragmentation factor, 45 kDa, alpha polypeptide (DFFA), transcript variant 1 antibody, DNA fragmentation factor, 45 kDa, alpha polypeptide antibody, DNA fragmentation factor, alpha subunit antibody, DNAation factor 45 kDa subunit antibody, H13 antibody, ICAD antibody, ICAD L antibody, ICAD S antibody, Inhibitor of CAD antibody, Inhibitor of Caspase Activated DNase antibody, MGC143066 antibody, OTTHUMP00000001903 antibody, OTTHUMP00000001904 antibody, RP23 121D17.3 antibody

UniProt: [O00273](#)

Pathways: [Apoptosis](#), [Caspase Cascade in Apoptosis](#)

Application Details

Application Notes: WB 1:300-5000
FCM 1:20-100
IHC-P 1:200-400
IHC()

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: 1 µg/µL

Buffer: Aqueous buffered solution containing 1xTBS (pH 7.4), 1 % BSA, 40 %Glycerol and 0.05 % Sodium Azide.

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Storage: -20 °C

Storage Comment: Store at -20°C for 12 months.

Handling

Expiry Date: 12 months