antibodies .- online.com





anti-SARS-CoV-2 Membrane Protein antibody (AA 130-180)



Go to Product page

()	۱ ۱	\cap	r	/1	\cap	۱ ۸	1
0	'V	ㄷ	I١	νı	ㄷ	٧	۷

Quantity:	0.1 mg	
Target:	SARS-CoV-2 Membrane Protein (SARS-CoV-2 M)	
Binding Specificity:	AA 130-180	
Reactivity:	SARS Coronavirus-2 (SARS-CoV-2)	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This SARS-CoV-2 Membrane Protein antibody is un-conjugated	
Application:	ELISA, Western Blotting (WB), Immunohistochemistry (IHC)	
Product Details		
Immunogen:	Anti-SARS-CoV-2 (COVID-19) Membrane antibody was raised against a peptide corresponding	
	to 13 amino acids near the center of SARS-CoV-2 (COVID-19) Membrane protein. The	
	immunogen is located between 130-180 amino acids of the SARS-CoV-2 (COVID-19)	
	Membrane protein.	
Isotype:	IgG	
Purification:	SARS-CoV-2 (COVID-19) Membrane Antibody is affinity chromatography	
Target Details		
Target:	SARS-CoV-2 Membrane Protein (SARS-CoV-2 M)	
Target: Alternative Name:	SARS-CoV-2 Membrane Protein (SARS-CoV-2 M) SARS-CoV-2 Membrane Protein (SARS-CoV-2 M Products)	

Target Details

Background:

Coronavirus disease 2019 (COVID-19), formerly known as 2019-nCoV acute respiratory disease, is an infectious disease caused by SARS-CoV-2, a virus closely related to the SARS virus. The disease is the cause of the 2019-20 coronavirus outbreak (1). SARS-CoV-2 is the seventh member of the enveloped, positive-stranded RNA viruses that are able to infect humans. The SARS-CoV-2 genome, like other coronaviruses, encodes for multiple structural and nonstructural proteins. The structural proteins include spike protein (S), envelope protein (E), membrane glycoprotein (M), nucleocapsid phosphoprotein (N), and the nonstructural proteins include open reading frame 1ab (ORF1ab), ORF3a, ORF6, ORF7a, ORF8, and ORF10 (2). The membrane (M) protein or matrix protein is the most abundant structural protein and defines the shape of the viral envelope (3). It is an integral membrane protein involved in the budding of the viral particles and interacts with S (Spike) protein. It involves in organization of the nucleoprotein inside, which includes many copies of the N (nucleocapsid) protein bound to the genomic RNA. The M protein holds dominant cellular immunogenicity and has been determined as a protective antigen in humoral responses, which suggests it would serve as a potential target in vaccine design (4).

Gene ID:

43740571

Application Details

Application Notes:

WB: 0.25 μ,g/mL, IHC: 0.5 μ,g/mL

Antibody validated: Immunohistochemistry in human samples. SARS-CoV-2 (COVID-19) Membrane antibody can detect 2 ng of free peptide at 1 μ ,g/mL in ELISA. It can detect SARS-CoV-2 Membrane recombinant protein by ELISA and WB. All other applications and species not yet tested.

Restrictions:

For Research Use only

Handling

Format:	Liquid	
Concentration:	1 mg/mL	
Buffer:	SARS-CoV-2 (COVID-19) Membrane Antibody is supplied in PBS containing 0.02 % sodium azide.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which	

Handling

	should be handled by trained staff only.
Storage:	-20 °C,4 °C
Storage Comment:	SARS-CoV-2 (COVID-19) Membrane antibody can be stored at 4 ° C for three months and -20 ° C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze
	thaw cycles. Antibodies should not be exposed to prolonged high temperatures.