

Datasheet for ABIN6990515
anti-Caspase 4 antibody (AA 100-150)



[Go to Product page](#)

Overview

Quantity:	0.1 mg
Target:	Caspase 4 (CASP4)
Binding Specificity:	AA 100-150
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Caspase 4 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunofluorescence (IF)

Product Details

Immunogen:	Caspase-4 antibody was raised against a 15 amino acid synthetic peptide from near the center of human Caspase-4. The immunogen is located within amino acids 100 - 150 of Caspase-4.
Isotype:	IgG
Specificity:	Depending on cell lines or tissues used, other cleavage products may be observed.
Purification:	Caspase-4 Antibody is affinity chromatography purified via peptide column.

Target Details

Target:	Caspase 4 (CASP4)
Alternative Name:	Caspase-4 (CASP4 Products)

Target Details

Background: Caspase-4 Antibody: Caspases are a family of cysteine proteases that can be divided into the apoptotic and inflammatory caspase subfamilies. Unlike the apoptotic caspases, members of the inflammatory subfamily are generally not involved in cell death but are associated with the immune response to microbial pathogens. Members of this subfamily include caspase-1, -4, -5, and -12. Activation of these caspases results in the cleavage and activation of proinflammatory cytokines such as IL-1 β , and IL-18. Caspase-4 was initially identified as a homologous protein to Caspase-1 and the *C. elegans* Ced-3 which could induce apoptosis in transfected cells. More recent studies have shown that it can be activated by ER stress and has been suggested to be involved in multiple neuronal pathologies such as Alzheimer's disease.

Gene ID: 837

UniProt: [P49662](#)

Pathways: [Apoptosis](#), [Caspase Cascade in Apoptosis](#), [Positive Regulation of Endopeptidase Activity](#)

Application Details

Application Notes: Casp-4 antibody can be used for the detection of Caspase-4 by Western blot at 1 and 2 μ g/mL. Antibody can also be used for immunohistochemistry starting at 2 μ g/mL. For immunofluorescence start at 10 μ g/mL.

Antibody validated: Western Blot in human samples, Immunohistochemistry in human samples and Immunofluorescence in mouse samples. All other applications and species not yet tested.

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: 1 mg/mL

Buffer: Caspase-4 Antibody is supplied in PBS containing 0.02 % sodium azide.

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C, 4 °C

Storage Comment: Caspase-4 antibody can be stored at 4°C for three months and -20°C, stable for up to one year.

As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.