

Datasheet for ABIN6990520
anti-Caspase 7 antibody (C-Term)



[Go to Product page](#)

Overview

Quantity:	0.1 mg
Target:	Caspase 7 (CASP7)
Binding Specificity:	C-Term
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Caspase 7 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	Caspase-7 antibody was raised against a 16 amino acid synthetic peptide from near the carboxy terminus of human Caspase-7. The immunogen is located within the last 50 amino acids of Caspase-7.
Isotype:	IgG
Specificity:	Depending on cell lines or tissues used, other cleavage products may be observed.
Purification:	Caspase-7 Antibody is affinity chromatography purified via peptide column.

Target Details

Target:	Caspase 7 (CASP7)
Alternative Name:	Caspase-7 (CASP7 Products)

Target Details

Background:	Caspase-7 Antibody: Caspases are a family of cysteine proteases that can be divided into the apoptotic and inflammatory caspase subfamilies. Unlike the apoptotic caspases, members of the inflammatory subfamily are generally not involved in cell death but are associated with the immune response to microbial pathogens. The apoptotic subfamily can be further divided into initiator caspases, which are activated in response to death signals, and executioner caspases, which are activated by the initiator caspases and are responsible for cleavage of cellular substrates that ultimately lead to cell death. Caspase-7 is an executioner caspase that was identified based on its homology with caspases 1 and 3, as well as the C. elegans cell death protein CED-3. Alternative splicing of Caspase-7 mRNA results in the production of 3 distinct isoforms. Caspase-7 activity can be directly inhibited by XIAP expression.
Gene ID:	840
UniProt:	P55210
Pathways:	Apoptosis , Caspase Cascade in Apoptosis , Positive Regulation of Endopeptidase Activity

Application Details

Application Notes:	Casp-7 antibody can be used for the detection of Caspase-7 by Western blot at 0.5 to 1 µg/mL. Antibody can also be used for immunohistochemistry starting at 2 µg/mL. Antibody validated: Western Blot in human samples and Immunohistochemistry in human samples. All other applications and species not yet tested.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Caspase-7 Antibody is supplied in PBS containing 0.02 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C, 4 °C
Storage Comment:	Caspase-7 antibody can be stored at 4°C for three months and -20°C, stable for up to one year.

As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.