antibodies -online.com





anti-CTRP6 antibody (AA 80-130)



()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Overview		
Quantity:	0.1 mg	
Target:	CTRP6 (C1QTNF6)	
Binding Specificity:	AA 80-130	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CTRP6 antibody is un-conjugated	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunofluorescence (IF)	
Product Details		
Immunogen:	CTRP6 antibody was raised against a 15 amino acid synthetic peptide from near the center of human CTRP6. The immunogen is located within amino acids 80 - 130 of CTRP6.	
Isotype:	IgG	
Specificity:	These proteins often migrate in SDS-PAGE at positions other than their predicted size.	
Purification:	CTRP6 Antibody is affinity chromatography purified via peptide column.	
Target Details		
Target:	CTRP6 (C1QTNF6)	
Alternative Name:	CTRP6 (C1QTNF6 Products)	

Target Details

Backo	round:
Dacku	n Ouriu.

CTRP6 Antibody: Adipose tissue of an organism plays a major role in regulating physiologic and pathologic processes such as metabolism and immunity by producing and secreting a variety of bioactive molecules termed adipokines. One highly conserved family of adipokines is adiponectin/ACRP30 and its structural and functional paralogs, the C1q/tumor necrosis factoralpha-related proteins (CTRPs) 1-7. Unlike adiponectin, which is expressed exclusively by differentiated adipocytes, the CTRPs are expressed in a wide variety of tissues. These proteins are thought to act mainly on liver and muscle tissue to control glucose and lipid metabolism. An analysis of the crystal structure of adiponectin revealed a structural and evolutionary link between TNF and C1q-containing proteins, suggesting that these proteins arose from a common ancestral innate immunity gene. CTRP6 contains at least 4 glycosylation motifs, suggesting that CTRP6 may be highly post-translationally modified.

Gene ID:

114904

UniProt:

Q9BXI9

Application Details

Application Notes:

CTRP6 antibody can be used for the detection of CTRP6 by Western blot at 0.5 - 2 μ ,g/mL. Antibody can also be used for immunohistochemistry starting at 10 μ ,g/mL. For immunofluorescence start at 20 μ ,g/mL.

Antibody validated: Western Blot in mouse samples, Immunohistochemistry in human samples and Immunofluorescence in human samples. All other applications and species not yet tested.

Restrictions:

For Research Use only

Handling

Format:	Liquid	
Concentration:	1 mg/mL	
Buffer:	CTRP6 Antibody is supplied in PBS containing 0.02 % sodium azide.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C,4 °C	
Storage Comment:	CTRP6 antibody can be stored at 4°C for three months and -20°C, stable for up to one year. As	

with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.