

Datasheet for ABIN6990780

anti-DISC1 antibody (N-Term)



Go to Product page

_					
	W	0	rv	10	W

Quantity:	0.1 mg
Target:	DISC1
Binding Specificity:	N-Term
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DISC1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA
Product Details	
Immunogen:	DISC1 antibody was raised against a 13 amino acid synthetic peptide from near the amino
Immunogen:	DISC1 antibody was raised against a 13 amino acid synthetic peptide from near the amino terminus of human DISC1. The immunogen is located within the first 50 amino acids of DISC1.
Immunogen: Isotype:	
	terminus of human DISC1. The immunogen is located within the first 50 amino acids of DISC1.
Isotype:	terminus of human DISC1. The immunogen is located within the first 50 amino acids of DISC1.
Isotype: Purification:	terminus of human DISC1. The immunogen is located within the first 50 amino acids of DISC1.
Isotype: Purification: Target Details	terminus of human DISC1. The immunogen is located within the first 50 amino acids of DISC1. IgG DISC1 Antibody is affinity chromatography purified via peptide column.
Isotype: Purification: Target Details Target:	terminus of human DISC1. The immunogen is located within the first 50 amino acids of DISC1. IgG DISC1 Antibody is affinity chromatography purified via peptide column. DISC1
Isotype: Purification: Target Details Target: Alternative Name:	terminus of human DISC1. The immunogen is located within the first 50 amino acids of DISC1. IgG DISC1 Antibody is affinity chromatography purified via peptide column. DISC1 DISC1 (DISC1 Products)
Isotype: Purification: Target Details Target: Alternative Name:	terminus of human DISC1. The immunogen is located within the first 50 amino acids of DISC1. IgG DISC1 Antibody is affinity chromatography purified via peptide column. DISC1 DISC1 (DISC1 Products) DISC1 Antibody: Disrupted in schizophrenia 1 (DISC1) is a candidate gene for susceptibility to

hybrid screening, it was discovered that DISC1 interacts with many members of the			
centrosome and cytoskeletal system including MAP1A and Nudel. More recently, DISC1 has			
been found to regulate the transport of a complex containing Nudel, the lissencephaly-1 (LIS1)			
protein, and 14-3-3epsilon from neuronal cell bodies to the axons by the action of the			
microtubule-dependent directed motor protein kinesin-1, also known as KIF5A. Decreased			
expression of DISC1 in neurons caused an accelerated rate of neuronal integration, resulting in			
aberrant morphological development, suggesting that DISC1 plays a role in dendritic			
development and synapse formation. DISC1 has at least four known isoforms.			

Gene ID:	27185
NCBI Accession:	NP_061132
UniProt:	Q9NRI5

Pathways: Regulation of Cell Size

Application Details

Application Notes: DISC1 antibody can be used for detection of DISC1 by Western blot at 1 - 2 μ,g/mL.

Antibody validated: Western Blot in mouse samples. All other applications and species not yet tested.

Restrictions: For Research Use only

Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	DISC1 Antibody is supplied in PBS containing 0.02 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,4 °C
Storage Comment:	DISC1 antibody can be stored at 4°C for three months and -20°C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should

not be exposed to prolonged high temperatures.