

## Datasheet for ABIN6990846 anti-RIMS2 antibody (AA 840-890)



## Overview

Quantity:	0.1 mg
Target:	RIMS2
Binding Specificity:	AA 840-890
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RIMS2 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))
Product Details	
Immunogen:	RIM2 antibody was raised against a 17 amino acid synthetic peptide near the center of human
	RIM2. The immunogen is located within amino acids 840 - 890 of RIM2.
Isotype:	IgG
Specificity:	RIM2 antibody is human specific. Multiple isoforms of RIM2 are known to exist.
Purification:	RIM2 Antibody is affinity chromatography purified via peptide column.
Target Details	
Target:	RIMS2
Alternative Name:	RIM2 (RIMS2 Products)
Background:	RIM2 Antibody: Rab3-interacting molecules (RIMs) are synaptic proteins necessary for neuronal

	transmission and plasticity. Rim1 and Rim2 proteins are expressed in overlapping but distinct patterns throughout the brain. While the ablation of either gene was not lethal in mice, the deletion of both resulted in postnatal mortality. This lethality is due to a defect in neurotransmitter release, synapses without RIM proteins can still release neurotransmitters but are unable to do so in response to normal Ca2+ triggers. Like Rim1, Rim2 is thought to be an effector protein for Rab3, binding to Rab3 on synaptic vesicles in a GTP-dependent manner.
Gene ID:	9699
NCBI Accession:	NP_001093587
UniProt:	Q9UQ26
Pathways:	Hormone Transport, Synaptic Vesicle Exocytosis
Application Details	
Application Notes:	RIM2 antibody can be used for detection of RIM2 by immunohistochemistry at 5 μ,g/mL.
	Antibody validated: Immunohistochemistry in human samples. All other applications and species not yet tested.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 mg/mL
Buffer:	RIM2 Antibody is supplied in PBS containing 0.02 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,4 °C
Storage Comment:	RIM2 antibody can be stored at 4°C for three months and -20°C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.