antibodies -online.com





anti-VPS53 antibody (AA 390-440)



| \sim | | | | | |
|--------|----|----|----|-------------|---|
| () | VE | ۲۱ | /1 | \triangle | Λ |

| Overview | | |
|----------------------|---|--|
| Quantity: | 0.1 mg | |
| Target: | VPS53 | |
| Binding Specificity: | AA 390-440 | |
| Reactivity: | Human, Mouse, Rat | |
| Host: | Rabbit | |
| Clonality: | Polyclonal | |
| Conjugate: | This VPS53 antibody is un-conjugated | |
| Application: | Western Blotting (WB), ELISA | |
| Product Details | | |
| Immunogen: | VPS53 antibody was raised against a 18 amino acid synthetic peptide from near the center of | |
| | human VPS53. The immunogen is located within amino acids 390 - 440 of VPS53. | |
| Isotype: | IgG | |
| Purification: | VPS53 Antibody is affinity chromatography purified via peptide column. | |
| Target Details | | |
| Target: | VPS53 | |
| Alternative Name: | VPS53 (VPS53 Products) | |
| Background: | VPS53 Antibody: The sorting of acid hydrolases to lysosomes rely on mannose 6-phosphate | |
| | receptors that cycle between the trans-Golgi network (TGN) and endosomes. The maintenance | |
| | of this cycle requires the function of the mammalian Golgi-associated retrograde protein | |

| (GARP) complex which is composed of three subunits: VPS52, VPS53, and VPS54. Depletion of | | | |
|--|--|--|--|
| any of these three proteins, such as by RNAi, impairs the retrograde transport of multiple TGN | | | |
| proteins. VPS53 was identified as an HIV dependency factor (HDF) and plays a role in viral entry | | | |
| to the cell, suggesting that VPS53 may be an important drug target in HIV treatment. At least | | | |
| five isoforms of VPS53 are known to exist. | | | |

Gene ID: 55275

UniProt: Q5VIR6

Application Details

Application Notes: VPS53 antibody can be used for detection of VPS53 by Western blot at $0.5 - 1 \mu$,g/mL.

Antibody validated: Western Blot in human samples. All other applications and species not yet tested.

Restrictions: For Research Use only

Handling

| Format: | Liquid |
|--------------------|---|
| Concentration: | 1 mg/mL |
| Buffer: | VPS53 Antibody is supplied in PBS containing 0.02 % sodium azide. |
| Preservative: | Sodium azide |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | -20 °C,4 °C |
| Storage Comment: | VPS53 antibody can be stored at 4°C for three months and -20°C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures. |