antibodies - online.com





anti-NANOS2 antibody (C-Term)



	Θ_{W}

- OVERVIEW		
Quantity:	0.1 mg	
Target:	NANOS2	
Binding Specificity:	C-Term	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This NANOS2 antibody is un-conjugated	
Application:	ELISA, Western Blotting (WB)	
Product Details		
Immunogen:	Nanos2 antibody was raised against a 13 amino acid synthetic peptide near the carboxy	
	terminus of the human Nanos2. The immunogen is located within the last 50 amino acids of	
	Nanos2.	
Isotype:	IgG	
Specificity:	This Nanos2 antibody will not cross-react with either Nanos 1 or Nanos3.	
Purification:	Nanos2 Antibody is affinity chromatography purified via peptide column.	
Target Details		
Target:	NANOS2	
Alternative Name:	Nanos2 (NANOS2 Products)	

Target Details

Background:	Nanos2 Antibody: Nanos is a zinc-finger containing, RNA-binding protein that has been	
	implicated in germ cell development in both invertebrates and vertebrates. In drosophila, Nanos	
	represses apoptosis during development to ensure proper germ-line development. Unlike	
	Nanos1 whose expression in mice is dispensable, the Nanos2 and Nanos3 proteins are	
	required for germ cell development. Nanos2-null primordial germ cells (PGCs) die only in the	
	male gonads and show no defects in females, while Nanos3-null PGCs are lost during the	
	migration stage regardless of sex. Nanos2 and Nanos3 have distinct expression patterns	
	during embryo development, suggesting that these two proteins do not have redundant	
	functions. However, expression of Nanos2 can at least partially replace Nanos3 function in a	
	Nanos3-null background. Nanos3 expression can not rescue Nanos2-null defects.	
Gene ID:	339345	
UniProt:	P60321	
Pathways:	Retinoic Acid Receptor Signaling Pathway, Cellular Response to Molecule of Bacterial Origin,	
	Stem Cell Maintenance	
Application Details		
Application Notes:	Nanos2 antibody can be used for detection of Nanos2 by Western blot at 2 to 4 μ,g/mL.	
	Antibody validated: Western Blot in human samples. All other applications and species not yet tested.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 mg/mL	
Buffer:	Nanos2 Antibody is supplied in PBS containing 0.02 % sodium azide.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which	
	should be handled by trained staff only.	
Storage:	-20 °C,4 °C	
Storage Comment:	Nanos2 antibody can be stored at 4°C for three months and -20°C, stable for up to one year. As	

with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.