

Datasheet for ABIN6991179 anti-KDM4A antibody (AA 340-390)



Go to Product page

0	\ / /	~ P	~\ /	10	1 A
	\//	-1	١/	-	1/1
\sim	٧ '	\sim 1	v	-	V١

O V CI VIC VV			
Quantity:	0.1 mg		
Target:	KDM4A		
Binding Specificity:	AA 340-390 Human, Mouse, Rat Rabbit Polyclonal		
Reactivity:			
Host:			
Clonality:			
Conjugate:	This KDM4A antibody is un-conjugated		
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))		
Product Details			
Immunogen:	JMJD2A antibody was raised against a 14 amino acid synthetic peptide from near the center of		
	human JMJD2A. The immunogen is located within amino acids 340 - 390 of JMJD2A.		
Isotype:	IgG		
Purification:	JMJD2A Antibody is affinity chromatography purified via peptide column.		
Target Details			
Target:	KDM4A		
Alternative Name:	JMJD2A (KDM4A Products)		
Background:	JMJD2A Antibody: Members of the Jumonji domain 2 (JMJD2) family contain a JmjN domain,		
	a JmjC domain, a JD2H domain, two TUDOR domains, and two PHD-type zinc fingers. The first		
	, , , , , , , , , , , , , , , , , , , ,		
	member of this group, JMJD2A, is widely expressed in human tissues and cell lines and		

functions as a trimethylation-specific demethylase, converting specific trimethylated histone
residues to the dimethylated form, and as a transcriptional repressor. JMJD2A can also form a
complex with the androgen receptor (AR), a transcription factor that is pivotal for the
development of prostate cancer. Overexpression of JMJD2A stimulates AR function and this
stimulation is dependent on JMJD2A catalytic activity, suggesting that JMJD2A might be a
critical protein with roles in cell proliferation and oncogenesis.

Gene ID: 9682

UniProt: 075164

Pathways: Warburg Effect

Application Details

Application Notes: JMJD2A antibody can be used for detection of JMJD2A by Western blot at 1 - 2 µ,g/mL.

Antibody can also be used for immunohistochemistry starting at 5 µ,g/mL.

 $\label{thm:local_equation} \textbf{Antibody validated: Western Blot in rat samples and Immunohistochemistry in rat samples. All \mathbb{R}^{2} and \mathbb

other applications and species not yet tested.

Restrictions: For Research Use only

Handling

Format:	Liquid		
Concentration:	1 mg/mL		
Buffer:	JMJD2A Antibody is supplied in PBS containing 0.02 % sodium azide.		
Preservative:	Sodium azide		
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.		
Storage:	-20 °C,4 °C		
Storage Comment:	JMJD2A antibody can be stored at 4°C for three months and -20°C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.		