

## Datasheet for ABIN6991754

## anti-SGSM2 antibody (AA 650-700)



| Overview             |   |
|----------------------|---|
| Quantity:            | 0.1 mg  |
| Target:              | SGSM2   |
| Binding Specificity: | AA 650-700  |
| Reactivity:          | Mouse, Human, Rat   |
| Host:                | Rabbit  |
| Clonality:           | Polyclonal  |
| Conjugate:           | This SGSM2 antibody is un-conjugated  |
| Application:         | Western Blotting (WB), ELISA, Immunofluorescence (IF)   |
| Product Details      |   |
| Immunogen:           | SGSM2 antibody was raised against an 18 amino acid synthetic peptide near the center of       |
|                      | human SGSM2. The immunogen is located within amino acids 650 - 700 of SGSM2.                  |
| Isotype:             | IgG   |
| Specificity:         | Multiple isoforms of SGSM2 are known to exist. SGSM2 antibody is predicted to not cross react |
|                      | with other SGSM family proteins.  |
| Purification:        | SGSM2 Antibody is affinity chromatography purified via peptide column.                        |
| Target Details       |   |
| Target:              | SGSM2   |
| Alternative Name:    | SGSM2 (SGSM2 Products)  |

## **Target Details**

| 3                   |   |
|---------------------|---|
| Background:         | SGSM2 Antibody: Small G proteins such as RAP and RAB proteins are the key molecules in intracellular signal transduction and vesicle transportation. A novel protein family small G protein signaling modulator (SGSM) consisting of three members SGSM1-3 bind to RAP and RAB family proteins. All three SGSM proteins possess both a RUN domain and a TBC domain. SGSM2 is a Rab9A effector that activates GTP hydrolysis by Rab32 and Rab33B proteins. |
| Molecular Weight:   | 116 kDa   |
| Gene ID:            | 9905  |
| NCBI Accession:     | NP_055668   |
| UniProt:            | 043147  |
| Application Details |   |
| Application Notes:  | SGSM2 antibody can be used for detection of SGSM2 by Western blot at 1 $\mu$ ,g/mL. For immunofluorescence start at 20 $\mu$ ,g/mL.   |
|                     | Antibody validated: Western Blot in human samples and Immunofluorescence in human samples. All other applications and species not yet tested.   |
| Restrictions:       | For Research Use only   |
| Handling            |   |
| Format:             | Liquid  |
| Concentration:      | 1 mg/mL   |
| Buffer:             | SGSM2 Antibody is supplied in PBS containing 0.02 % sodium azide.   |
| Preservative:       | Sodium azide  |
| Precaution of Use:  | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.  |
| Storage:            | -20 °C,4 °C   |
| Storage Comment:    | SGSM2 antibody can be stored at 4°C for three months and -20°C, stable for up to one year. A with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should be exposed to prolonged high temperatures.  |