antibodies -online.com





anti-IL36A/IL1F6 antibody (C-Term)



Go to Product page

| \sim | | | |
|--------|-----|-----|-----|
| | N/P | r\/ | i⊢₩ |

| 0.00.000 | | |
|----------------------|--|--|
| Quantity: | 0.1 mg | |
| Target: | IL36A/IL1F6 (IL1F6) | |
| Binding Specificity: | C-Term | |
| Reactivity: | Human | |
| Host: | Rabbit | |
| Clonality: | Polyclonal | |
| Conjugate: | This IL36A/IL1F6 antibody is un-conjugated | |
| Application: | Western Blotting (WB), ELISA, Immunofluorescence (IF), Immunohistochemistry (Paraffin- | |
| | embedded Sections) (IHC (p)) | |
| Product Details | | |
| Immunogen: | IL-36A antibody was raised against an 11 amino acid peptide near the carboxy terminus of | |
| | human IL-36A. The immunogen is located within the last 50 amino acids of IL-36A. | |
| Isotype: | IgG | |
| Specificity: | IL-36A antibody is human specific. IL-36A antibody will not cross-react with IL-36B or IL-36G. | |
| Purification: | IL-36A antibody is affinity chromatography purified via peptide column. | |
| Target Details | | |
| Target: | IL36A/IL1F6 (IL1F6) | |
| Alternative Name: | IL-36A (IL1F6 Products) | |
| | | |

Target Details

| Background: | IL-36A is is a member of the interleukin 1 cytokine family whose gene and eight other | |
|---------------------|--|--|
| | interleukin 1 family genes form a cytokine gene cluster on chromosome 2 (1). IL-36A is thought | |
| | to activate the NF-kappaB pathway through IL-1 receptor family members IL-1RL2 and IL- | |
| | 1RAcP (2). Like the related proteins IL-36B and IL-36G, IL-36A requires post-translational | |
| | processing for full agonist activity, but the cleavage mechanism is currently unknown (3). The | |
| | IL-36 cytokines have been suggested to amplify Th1 responses by enhancing proliferation and | |
| | Th1 polarization of naive CD4+ T cells (4). | |
| Molecular Weight: | Predicted: 17 kDa | |
| | Observed: 16 kDa | |
| Gene ID: | 27179 | |
| NCBI Accession: | NP_055255 | |
| UniProt: | Q9UHA7 | |
| Pathways: | Cancer Immune Checkpoints | |
| Application Details | | |
| Application Notes: | IL-36A antibody can be used for detection of IL-36A by Western blot at 1 - 2 μ,g/mL. | |
| | Antibody validated: Western Blot in human samples, Immunohistochemistry in human samples | |
| | and Immunofluorescence in human samples. All other applications and species not yet tested. | |
| Restrictions: | For Research Use only | |
| Handling | | |
| Format: | Liquid | |
| Concentration: | 1 mg/mL | |
| Buffer: | IL-36A antibody is supplied in PBS containing 0.02 % sodium azide. | |
| Preservative: | Sodium azide | |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which | |
| | should be handled by trained staff only. | |
| Storage: | -20 °C,4 °C | |
| Storage Comment: | IL-36A antibody can be stored at 4°C for three months and -20°C, stable for up to one year. | |
| | | |