antibodies -online.com







anti-LRRC26 antibody (C-Term)



Go to Product page

\sim			
	N/P	r\/I	i⊢₩

Immunofluorescence (IF) Product Details Immunogen: LRRC26 antibody was raised against an 18 amino acid peptide near the human LRRC26. The immunogen is located within the last 50 amino a lsotype: IgG Specificity: LRRC26 antibody is human specific.		
Binding Specificity: C-Term Reactivity: Human Host: Rabbit Clonality: Polyclonal Conjugate: This LRRC26 antibody is un-conjugated Application: Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-ember Immunofluorescence (IF) Product Details Immunogen: LRRC26 antibody was raised against an 18 amino acid peptide near the human LRRC26. The immunogen is located within the last 50 amino acid sorting is locat	0.1 mg	
Reactivity: Human Host: Rabbit Clonality: Polyclonal Conjugate: This LRRC26 antibody is un-conjugated Application: Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-ember Immunofluorescence (IF) Product Details Immunogen: LRRC26 antibody was raised against an 18 amino acid peptide near the human LRRC26. The immunogen is located within the last 50 amino a lsotype: IgG Specificity: LRRC26 antibody is human specific.	LRRC26	
Host: Rabbit Clonality: Polyclonal Conjugate: This LRRC26 antibody is un-conjugated Application: Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-ember Immunofluorescence (IF) Product Details Immunogen: LRRC26 antibody was raised against an 18 amino acid peptide near the human LRRC26. The immunogen is located within the last 50 amino a lsotype: IgG Specificity: LRRC26 antibody is human specific.	C-Term	
Clonality: Polyclonal Conjugate: This LRRC26 antibody is un-conjugated Application: Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-ember Immunofluorescence (IF) Product Details Immunogen: LRRC26 antibody was raised against an 18 amino acid peptide near the human LRRC26. The immunogen is located within the last 50 amino acid sotype: IgG Specificity: LRRC26 antibody is human specific.	Human	
Conjugate: This LRRC26 antibody is un-conjugated Application: Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-ember Immunofluorescence (IF) Product Details Immunogen: LRRC26 antibody was raised against an 18 amino acid peptide near the human LRRC26. The immunogen is located within the last 50 amino a lsotype: IgG Specificity: LRRC26 antibody is human specific.	Rabbit	
Application: Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-ember Immunofluorescence (IF) Product Details Immunogen: LRRC26 antibody was raised against an 18 amino acid peptide near the human LRRC26. The immunogen is located within the last 50 amino a lsotype: IgG Specificity: LRRC26 antibody is human specific.	Polyclonal	
Immunofluorescence (IF) Product Details Immunogen: LRRC26 antibody was raised against an 18 amino acid peptide near the human LRRC26. The immunogen is located within the last 50 amino a lsotype: IgG Specificity: LRRC26 antibody is human specific.	This LRRC26 antibody is un-conjugated	
Immunogen: LRRC26 antibody was raised against an 18 amino acid peptide near the human LRRC26. The immunogen is located within the last 50 amino a lsotype: IgG Specificity: LRRC26 antibody is human specific.	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunofluorescence (IF)	
human LRRC26. The immunogen is located within the last 50 amino a lsotype: IgG Specificity: LRRC26 antibody is human specific.		
Specificity: LRRC26 antibody is human specific.	LRRC26 antibody was raised against an 18 amino acid peptide near the carboxy terminus of human LRRC26. The immunogen is located within the last 50 amino acids of LRRC26.	
	IgG	
	LRRC26 antibody is human specific.	
Purification: LRRC26 antibody is affinity chromatography purified via peptide colur	LRRC26 antibody is affinity chromatography purified via peptide column.	
Target Details		
Target: LRRC26	LRRC26	
Alternative Name: LRRC26 (LRRC26 Products)	LRRC26 (LRRC26 Products)	

Target Details

Background:	The LRRC26 protein was initially identified as a cytokeratin-associated protein whose	
	expression was elevated in multiple cancer cell lines and cancer specimens as well in normal	
	prostate and salivary gland tissues (1). LRRC26 was later found to negatively regulate the NF-	
	kappaB activation and suppresses tumor growth and metastasis (2). LRRC26 can also act to	
	selectively alter the efficacy of large conductance calcium-activated K (BK) channels (3).	
Molecular Weight:	Predicted: 37 kDa	
	Observed: 48 kDa	
Gene ID:	389816	
NCBI Accession:	NP_001013675	
UniProt:	Q2I0M4	
Application Details		
Application Notes:	LRRC26 antibody can be used for detection of LRRC26 by Western blot at 0.5 - 1 μ,g/mL.	
	Antibody can also be used for immunohistochemistry starting at 2.5 μ ,g/mL. For	
	immunofluorescence start at 20 μ,g/mL.	
	Antibody validated: Western Blot in human samples, Immunohistochemistry in human samples	
	and Immunofluorescence in human samples. All other applications and species not yet tested.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 mg/mL	
Buffer:	LRRC26 antibody is supplied in PBS containing 0.02 % sodium azide.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which	
	should be handled by trained staff only.	
Storage:	-20 °C,4 °C	
Storage Comment:	LRRC26 antibody can be stored at 4°C for three months and -20°C, stable for up to one year.	