antibodies .- online.com





anti-SLC36A2 antibody (N-Term)



Go to Product page

\sim					
()	VE	۲۱	/1	\triangle	Λ

Alternative Name:

Background:

Quantity:	0.1 mg	
Target:	SLC36A2	
Binding Specificity:	AA 30-80, N-Term	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Application:	ELISA, Western Blotting (WB)	
Product Details		
Immunogen:	SLC36A2 antibody was raised against a 15 amino acid peptide near the amino terminus of	
	human SLC36A2. The immunogen is located within amino acids 30 - 80 of SLC36A2.	
	<u> </u>	
Isotype:	IgG	
Isotype: Specificity:		
	IgG	
	IgG SLC36A2 antibody is human specific. SLC36A2 is predicted to not cross-react with other	
Specificity:	IgG SLC36A2 antibody is human specific. SLC36A2 is predicted to not cross-react with other members of the SLC36 protein family.	
Specificity: Purification:	IgG SLC36A2 antibody is human specific. SLC36A2 is predicted to not cross-react with other members of the SLC36 protein family.	

SLC36A2 is a pH -dependent proton-coupled amino acid transporter that belongs to the amino

acid auxin permease 1 protein family. The encoded protein primarily transports small amino

SLC36A2 (SLC36A2 Products)

	acids such as glycine, alanine and proline (1,2). Both SLC36A2 and its paralog SLC36A1 are	
	expressed in neurons, but SLC36A2 localizes to the endoplasmic reticulum and recycling	
	endosome, while SLC36A1 is expressed in the lysosome (2). SLC36A2 is thought to contribute	
	to neuronal transport and sequestration of amino acids such as glycine, alanine, and proline (2).	
	Mutations in this gene are associated with iminoglycinuria and hyperglycinuria (3).	
Molecular Weight:	Predicted: 53 kDa	
	Observed: 52 kDa	
Gene ID:	153201	
NCBI Accession:	NP_861441	
UniProt:	Q495M3	
Pathways:	Proton Transport	
Application Details		
Application Notes:	SLC36A2 antibody can be used for detection of SLC36A2 by Western blot at 1 - 2 μ,g/mL.	
	Antibody validated: Western Blot in human samples. All other applications and species not yet	
	tested.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 mg/mL	
Buffer:	SLC36A2 antibody is supplied in PBS containing 0.02 % sodium azide.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which	
	should be handled by trained staff only.	
Storage:	-20 °C,4 °C	
Storage Comment:	SLC36A2 antibody can be stored at 4°C for three months and -20°C, stable for up to one year.	