# antibodies -online.com







## anti-TP53BP1 antibody (pSer1778)





$\sim$	
( )\/⊝	view
$\circ$	V I C V V

Quantity:	200 μL
Target:	TP53BP1
Binding Specificity:	pSer1778
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TP53BP1 antibody is un-conjugated
Application:	Western Blotting (WB)

#### **Product Details**


Purpose:	Anti-Phosphorylated Tumor Protein p53 Binding Protein 1 (TP53BP1) Polyclonal Antibody
Immunogen:	Synthetic Phosphopeptide Phospho-TP53BP1 (Ser1778) (TES"P"QL RAGAGYILED FNEAQ)
Isotype:	IgG
Specificity:	Phospho-TP53BP1 (Ser1778) antibody detects endogenous levels of TP53BP1 only when phosphorylated at serine 1778.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

### Target Details

Target:	TP53BP1
Alternative Name:	Tumor Protein p53 Binding Protein 1 (TP53BP1 Products)

### **Target Details**

Background:	53BP1, p53BP1, p202
Pathways:	DNA Damage Repair
Application Details	
Application Notes:	Immunocytochemistry in formalin fixed cells: 5-30 $\mu$ g/mL Immunohistochemistry in formalin fixed frozen section: 5-30 $\mu$ g/mL Immunohistochemistry in paraffin section: 5-30 $\mu$ g/mL Enzyme-linked Immunosorbent Assay: 0.05-2 $\mu$ g/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



#### **Western Blotting**

**Image 1.** Detection of TP53BP1 in Human 293 Cells using Anti-Phosphorylated Tumor Protein p53 Binding Protein 1 (TP53BP1) Polyclonal Antibody