Datasheet for ABIN6992510

anti-STAM antibody (AA 196-465)

Go to Product page

1 Image

Overview

Quantity:	50 tests
Target:	STAM
Binding Specificity:	AA 196-465
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Application:	Flow Cytometry (FACS)

Product Details

Purpose:	Anti-Signal Transducing Adaptor Molecule 1 (STAM1) Polyclonal Antibody
Immunogen:	Recombinant Signal Transducing Adaptor Molecule 1 (STAM1) corresdonding to Thr196~Val465 (Accession # Q92783)
Isotype:	IgG
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target:	STAM
Alternative Name:	Signal Transducing Adaptor Molecule 1 (STAM Products)
Background:	SH3 Domain And ITAM Motif
Pathways:	EGFR Signaling Pathway, EGFR Downregulation

Copyright antibodies-online. All rights reserved.

Application Details

Application Notes:	For flow cytometry, the suggested use of this reagent is 1-5 µL per 10^6 cells in 100 µL volume. Optimal working dilutions could be determined by end user.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	12 months

Images



Flow Cytometry

Image 1. Detection of STAM1 in Raji human Burkitt's lymphoma cell line using Anti-Signal Transducing Adaptor Molecule 1 (STAM1) Polyclonal Antibody

Copyright antibodies-online. All rights reserved.