antibodies .- online.com





SARS-CoV-2 Spike Protein (B.1.617.2 - delta) (rho-1D4 tag)





| | Θ_{W} |
|--|--------------|
| | |
| | |

| OVERVIEW | |
|-------------------------------|---|
| Quantity: | 100 μg |
| Target: | SARS-CoV-2 Spike |
| Protein Characteristics: | B.1.617.2 - delta |
| Origin: | SARS Coronavirus-2 (SARS-CoV-2), SARS CoV-2 Delta |
| Source: | HEK-293 Cells |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This SARS-CoV-2 Spike protein is labelled with rho-1D4 tag. |
| Application: | ELISA, Ligand Binding Assay (LBA) |
| Product Details | |

| Product Details | |
|------------------|--|
| Purpose: | This is the spike protein of the mutant strain B.1.617, also commonly known as the "Delta mutant". |
| Sequence: | Full-length sequence (aa 1 - 1273), 1284 amino acids (including Rho1D4 tag and linker) |
| Specificity: | Mutation that differ from "original" SPIKE protein: T19R, Del 157-158, L452R, T478K, D614G, P681R, D950N |
| Characteristics: | All viruses undergo fast mutations and adept quickly to the countermeasures that the immune systems creates against them. SARS-CoV-2 of the COVID-19 pandemic is no exception here. During the pandemic multiple mutant strains arose. |
| Purification: | Affnity Chromatography |
| Purity: | > 98% as derermined by SDS-PAGE |

Target Details

| Target: | SARS-CoV-2 Spike |
|-------------------|--|
| Alternative Name: | SARS2 Spike glycoprotein (SARS-CoV-2 Spike Products) |
| Target Type: | Viral Protein |
| Molecular Weight: | 141903 Da |
| UniProt: | PODTC2 |


Application Details

| Comment: | Further modifications: |
|---------------|--|
| | - furin cleavage site "682-RRAR SV-687" mutated to "682-GSAG PP-687" |
| | - C-terminal Rho1D4 tag fused with spacer "GSSG" to protein sequence |
| Restrictions: | For Research Use only |

Handling

| Format: | Liquid |
|------------------|---|
| Buffer: | 20 mM Hepes pH 7.5; 150 mM NaCl, 0.001 % LMNG |
| Storage: | -80 °C |
| Storage Comment: | Store at -80°C. Avoid freeze-thaw cycles |

Images



Binding Studies

Image 1. Microscale thermophoresis measurement of binding of anti-SARS-CoV-2 Spike S1 antibody (RBD) CR3022 (ABIN6952546) to SARS-CoV-2 Spike (B.1.617.2 delta lineage) protein (ABIN6999328). The determined dissociation constant KD is indicated.





Image 2. SARS CoV-2 Spike B.1.617.2 Mutation (delta)



SDS-PAGE

Image 3. SDS-Page of purified SPIKE in detergent mycelle.