

Datasheet for ABIN7013239

SARS-CoV-2 Spike S1 Protein (His tag)

2 Images



Go to Product pag

Overview

Quantity:	200 μg
Target:	SARS-CoV-2 Spike S1
Origin:	SARS Coronavirus-2 (SARS-CoV-2)
Source:	HEK-293 Cells
Protein Type:	Recombinant
Biological Activity:	Active
Purification tag / Conjugate:	This SARS-CoV-2 Spike S1 protein is labelled with His tag.

Product Details

Sequence:	AA 16-685
Specificity:	SARS-CoV-2 (COVID-19) S1 protein, His Tag
Characteristics:	SARS-CoV-2 S1 protein, His Tag is expressed from human 293 cells (HEK293). It contains AA Val 16 - Arg 685 (Accession # QHD43416.1).
Purity:	>95 % as determined by SDS-PAGE.
Endotoxin Level:	Less than 1.0 EU per μg by the LAL method.

Target Details

Target:	SARS-CoV-2 Spike S1
Alternative Name:	SARS-CoV-2 S1 protein (SARS-CoV-2 Spike S1 Products)
Target Type:	Viral Protein

Target Details

Background:

It's been reported that Coronavirus can infect the human respiratory epithelial cells through interaction with the human ACE2 receptor. The spike protein is a large type I transmembrane protein containing two subunits, S1 and S2. S1 mainly contains a receptor binding domain (RBD), which is responsible for recognizing the cell surface receptor. S2 contains basic elements needed for the membrane fusion. The S protein plays key parts in the induction of neutralizing-antibody and T-cell responses, as well as protective immunity.

Molecular Weight:

76.9 kDa

Application Details


Restrictions:

For Research Use only

Handling

Format:	Liquid
Buffer:	10 mM PB, 50 mM NaCl, pH 7.4
Storage:	-80 °C

Images



SDS-PAGE

Image 1. SARS-CoV-2 S1 protein, His Tag on under reducing (R) condition. The gel was stained overnight with Coomassie Blue. The purity of the protein is greater than 95 %.

SARS-CoV-2 S1 protein, His Tag ELISA 0.2 μg of SARS-CoV-2 S1 protein, His Tag per well 1.2 0.6 0.0 Monoclonal Anti-SARS-CoV-5 protein RBD Antibody, Human IgG1 Conc. (ng/mL

ELISA

Image 2. Immobilized SARS-CoV-2 S1 protein, His Tag (ABIN6973257) at $2 \mu g/mL$ (100 $\mu L/well$) can bind Monoclonal A-CoV-S protein RBD Antibody, Human IgG1 with a linear range of 0.2-6 ng/mL (QC tested).