

Datasheet for ABIN7013272

SARS-CoV-2 Spike S1 Protein (N501Y) (His tag)



[Go to Product page](#)

2 Images

Overview

Quantity:	100 µg
Target:	SARS-CoV-2 Spike S1
Protein Characteristics:	N501Y
Origin:	SARS Coronavirus-2 (SARS-CoV-2)
Source:	HEK-293 Cells
Protein Type:	Recombinant
Biological Activity:	Active
Purification tag / Conjugate:	This SARS-CoV-2 Spike S1 protein is labelled with His tag.

Product Details

Sequence:	AA 16-685
Specificity:	SARS-CoV-2 (COVID-19) S1 protein (N501Y), His Tag
Characteristics:	SARS-CoV-2 S1 protein (N501Y), His Tag is expressed from human 293 cells (HEK293). It contains AA Val 16 - Arg 685 (Accession # QHD43416.1(N501Y). N501Y mutation was identified in both the SARS-CoV-2 variant (known as 20B/501Y.V1, VOC 202012/01, or B.1.1.7 lineage) which emerged in the United Kingdom and SARS-CoV-2 variant (known as 20C/501Y.V2 or B.1.351 lineage) which emerged in South Africa.
Purity:	>90 % as determined by SDS-PAGE.
Endotoxin Level:	Less than 1.0 EU per µg by the LAL method.

Target Details

Target:	SARS-CoV-2 Spike S1
Alternative Name:	SARS-CoV-2 S1 protein (SARS-CoV-2 Spike S1 Products)
Target Type:	Viral Protein
Background:	It's been reported that Coronavirus can infect the human respiratory epithelial cells through interaction with the human ACE2 receptor. The spike protein is a large type I transmembrane protein containing two subunits, S1 and S2. S1 mainly contains a receptor binding domain (RBD), which is responsible for recognizing the cell surface receptor. S2 contains basic elements needed for the membrane fusion. The S protein plays key parts in the induction of neutralizing-antibody and T-cell responses, as well as protective immunity.
Molecular Weight:	76.9 kDa


Application Details

Restrictions:	For Research Use only
---------------	-----------------------

Handling


Format:	Lyophilized
Buffer:	PBS, pH 7.4
Storage:	-20 °C

Images



ELISA

Image 1. Immobilized SARS-CoV-2 S1 protein (N501Y), His Tag (ABIN6973242) at 2 µg/mL (100 µL/well) can bind A-CoV-2 RBD Neutralizing Antibody, Human IgG1 (SAD-S35) with a linear range of 0.1-3 ng/mL (Routinely tested).



ELISA

Image 2. Immobilized SARS-CoV-2 S1 protein (N501Y), His Tag (ABIN6973242) at 2 µg/mL (100 µL/well) can bind Human ACE2, Fc Tag (ABIN6952459,ABIN6952465) with a linear range of 0.1-3 ng/mL (QC tested).