# antibodies -online.com





# GUCY2C Protein (AA 24-430) (His tag)

2 Images



Go to Product page

### Overview

Quantity:	100 μg
Target:	GUCY2C
Protein Characteristics:	AA 24-430
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Biological Activity:	Active
Purification tag / Conjugate:	This GUCY2C protein is labelled with His tag.

# **Product Details**

Characteristics:	Human GUCY2C / Guanylyl cyclase C Protein, His Tag
Purity:	>90 % as determined by SDS-PAGE.
Endotoxin Level:	Less than 1.0 EU per μg by the LAL method.

# Target Details

Target:	GUCY2C
Alternative Name:	GUCY2C (GUCY2C Products)
Background:	GUCY2C (Guanylyl Cyclase C), also known as heat-stable enterotoxin receptor, is a type I transmembrane protein of the guanylate cyclase (gc) family that signal by producing cGMP.
	Guanylate cyclase C (GUCY2C) and its hormones guanylin and uroguanylin have recently
	emerged as one paracrine axis defending intestinal mucosal integrity against mutational,

chemical, and inflammatory injury. GUCY2C murine CAR-T cells recognized and killed human colorectal cancer cells endogenously expressing GUCY2C. Thus, we have identified a human GUCY2C-specific CAR-T cell therapy approach that may be developed for the treatment of GUCY2C-expressing metastatic colorectal cancer.

Molecular Weight: 47.9 kDa

NCBI Accession: NP\_004954


# **Application Details**

Restrictions: For Research Use only

## Handling


Format:	Lyophilized
Buffer:	PBS, pH 7.4
Storage:	-20 °C

## **Images**



### **ELISA**

**Image 1.** Immobilized Human GUCY2C, His Tag (ABIN6973087) at  $5 \mu g/mL$  (100  $\mu L/well$ ) can bind Monoclonal A GUCY2C Antibody, Human IgG1 with a linear range of 0.3-5 ng/mL (QC tested).



# **SDS-PAGE**

 $\label{eq:mage 2.} \mbox{Human GUCY2C, His Tag on under reducing (R)} \\ \mbox{condition. The gel was stained overnight with Coomassie} \\ \mbox{Blue. The purity of the protein is greater than 90 \%} \; .$