antibodies -online.com





IL-33 Protein (AA 109-270) (His tag)

2 Images



Go to Product page

_					
U	V	er	VI	е	W

Quantity:	50 μg
Target:	IL-33 (IL33)
Protein Characteristics:	AA 109-270
Origin:	Cynomolgus
Source:	HEK-293 Cells
Protein Type:	Recombinant
Biological Activity:	Active
Purification tag / Conjugate:	This IL-33 protein is labelled with His tag.

Product Details

Characteristics:	Cynomolgus IL-33 Protein, His Tag
Purity:	>95 % as determined by SDS-PAGE.
Endotoxin Level:	Less than 1.0 EU per μg by the LAL method.

Target Details

Target:	IL-33 (IL33)
Alternative Name:	IL-33 (IL33 Products)
Background:	Interleukin 33 (IL33) is known as C9orf26, DKFZp586H0523, DVS27, NF-HEV, NFEHEV, RP11-575C20.2,and is a cytokine belonging to the IL-1 superfamily. IL-33 induces helper T cells, mast
	cells, eosinophils and basophils to produce type 2 cytokines. IL-33 mediates its biological
	effects by interacting with the receptors ST2 (aka IL1RL1) and IL-1 Receptor Accessory Protein

(IL1RAP), activating intracellular molecules in the NF-kB and MAP kinase signaling pathways that drive production of type 2 cytokines (e.g. IL-5 and IL-13) from polarized Th2 cells. In vivo, IL-33 induces the expression of IL-4, IL-5, and IL-13 and leads to severe pathological changes in mucosal organs.

Molecular Weight: 20.2 kDa

NCBI Accession: XP_005581824

Pathways: Production of Molecular Mediator of Immune Response


Application Details

Restrictions: For Research Use only

Handling


Format:	Lyophilized
Buffer:	PBS, pH 7.4
Storage:	-20 °C

Images



ELISA

Image 1. Immobilized Cynomolgus IL-33, His Tag (ABIN6973126) at $5\,\mu\text{g/mL}$ (100 $\mu\text{L/well}$) can bind Human IL-1RL1, Fc Tag (ABIN2181368,ABIN2181367) with a linear range of 2-78 ng/mL (QC tested).



SDS-PAGE

 $\label{lem:lemmage 2.} \mbox{ Cynomolgus IL-33, His Tag on under reducing (R) condition. The gel was stained overnight with Coomassie Blue. The purity of the protein is greater than 95 % .$