

Datasheet for ABIN7013579

CSF1R Protein (AA 20-512) (mFc Tag)



[Go to Product page](#)

2 Images

Overview

Quantity:	100 µg
Target:	CSF1R
Protein Characteristics:	AA 20-512
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Biological Activity:	Active
Purification tag / Conjugate:	This CSF1R protein is labelled with mFc Tag.

Product Details

Characteristics:	Human M-CSF R / CSF1R / CD115 Protein, Mouse IgG2a Fc Tag (MALS verified)
Purity:	>90 % as determined by SDS-PAGE.
Endotoxin Level:	Less than 0.1 EU per µg by the LAL method.

Target Details

Target:	CSF1R
Alternative Name:	M-CSF R (CSF1R Products)
Background:	Colony stimulating factor 1 receptor (CSF1R) is also known as macrophage colony-stimulating factor receptor (M-CSFR), CD115 Cluster of Differentiation 115 (CD115), C-FMS, CSFR, FIM2, FMS, and is a member of the typeIII subfamily of receptor tyrosine kinases (RTKs). CSF1R is a receptor for a cytokine called colony stimulating factor 1, The protein encoded by the CSFR1

Target Details

gene is the receptor for colony stimulating factor 1, a cytokine which controls the production, differentiation, and function of macrophages. This receptor mediates most, if not all, of the biological effects of this cytokine. Ligand binding activates CSF1R through a process of oligomerization and transphosphorylation . Mutations in CSF1R are associated with chronic myelomonocytic leukemia and type M4 acute myeloblastic leukemia. Increased levels of CSF1R1 are found in microglia in Alzheimer's disease and after brain injuries. The increased receptor expression causes microglia to become more active. Both CSF1R, and its ligand colony stimulating factor 1 play an important role in the development of the mammary gland and may be involved in the process of mammary gland carcinogenesis.

Molecular Weight: 81.4 kDa

NCBI Accession: [NP_005202](#)

Pathways: [RTK Signaling](#), [Inositol Metabolic Process](#), [Cell-Cell Junction Organization](#)

Application Details

Application Notes: MALS verified



Restrictions: For Research Use only

Handling

Format: Lyophilized

Buffer: PBS, pH 7.4

Storage: -20 °C



ELISA

Image 1. Immobilized Human M-CSF R, Mouse IgG2a Fc Tag (MALS verified) (ABIN6973150) at 5 µg/mL (100 µ L/well) can bind Biotinylated Human M-CSF, His,Avitag (ABIN6386447,ABIN6388276) with a linear range of 0.2-3 ng/mL (QC tested).

SDS-PAGE

Image 2. Human M-CSF R, Mouse IgG2a Fc Tag (MALS verified) on under reducing (R) condition. The gel was stained overnight with Coomassie Blue. The purity of the protein is greater than 90 % .