
antibodies -online.com





IL13RA2 Protein (AA 26-340) (His tag)

2 Images



Go to Product page

Overview

Quantity:	100 μg
Target:	IL13RA2
Protein Characteristics:	AA 26-340
Origin:	Rhesus Monkey
Source:	HEK-293 Cells
Protein Type:	Recombinant
Biological Activity:	Active
Purification tag / Conjugate:	This IL13RA2 protein is labelled with His tag.

Product Details

Characteristics:	Rhesus macaque IL-13 R alpha 2 Protein, His Tag
Purity:	>90 % as determined by SDS-PAGE.
Endotoxin Level:	Less than 1.0 EU per μg by the LAL method.

Target Details

Target:	IL13RA2
Alternative Name:	IL-13 R alpha 2 (IL13RA2 Products)
Background:	Interleukin-13 receptor subunit alpha-2 is also known as IL13Rα2, IL13Ra2 cluster of
	differentiation 213A2, CD213A2, CT19, IL-13R, IL13BP, and is a membrane bound protein that in
	humans is encoded by the IL13RA2 gene. IL13R α 2 is closely related to IL13R α 1, a subunit of
	the interleukin-13 receptor complex. This protein binds IL13 with high affinity, but lacks any

significant cytoplasmic domain, and does not appear to function as a signal mediator. It is, however able to regulate the effects of both IL13 and IL4, despite the fact it is unable to bind directly to the latter. It is also reported to play a role in the internalization of IL13. IL13R α 2 is a component of the cell surface receptors, however, the majority exists in intracellular pools and in soluble form, and thus plays an opposite role as a potent IL13 antagonist compared with IL13R α 1. It also functions as an inhibitor of IL4-dependent pathway probably through the physical interaction between the short intracellular domain of and cytoplasmic domain of IL13R α 2 and the IL4R α chain. In spite of the failed STAT signaling function, IL13R α 2 dose induce TGF-beta production and fibrosis. Additionally, IL13R α 2has been reported to be abundantly and specifically overexpressed in glioblastoma multiforme.

Molecular Weight: 40.0 kDa

NCBI Accession: XP_014983540


Application Details

Restrictions: For Research Use only

Handling


Format:	Lyophilized
Buffer:	PBS, pH 7.4
Storage:	-20 °C

Images



ELISA

Image 1. Immobilized Rhesus macaque IL-13 R alpha 2, His Tag (ABIN6973105) at $1 \mu g/mL$ (100 $\mu L/well$) can bind Monoclonal Anti-IL-13 R alpha 2 Antibody, Mouse IgG1 with a linear range of 0.2-2 ng/mL (QC tested).



SDS-PAGE

Image 2. Rhesus macaque IL-13 R alpha 2, His Tag on under reducing (R) condition. The gel was stained overnight with Coomassie Blue. The purity of the protein is greater than $90\,\%$.