
antibodies .- online.com







TREM2 Protein (AA 19-171) (Fc Tag)

Images



Overview

Quantity:	100 μg
Target:	TREM2
Protein Characteristics:	AA 19-171
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Biological Activity:	Active
Purification tag / Conjugate:	This TREM2 protein is labelled with Fc Tag.

Product Details

Sequence:	AA 19-171
Characteristics:	Human TREM2 Protein, Mouse IgG2a Fc Tag
Purity:	>90 % as determined by SDS-PAGE.
Endotoxin Level:	Less than 1.0 EU per μg by the LAL method.

Target Details

Target:	TREM2
Alternative Name:	TREM2 (TREM2 Products)
Background:	Triggering receptor expressed on myeloid cells 2 (TREM2) is a cell surface receptor of the immunoglobulin superfamily. The TREM2 is found in various tissue macrophages, such as CNS

microglia, bone osteoclasts, alveolar, peritoneal and intestinal macrophages. TREM2 is also present on cultured bone marrow-derived macrophages and monocyte-derived dendritic cells. Some research have identified a rare variant of TREM2 that is a risk factor for Alzheimer disease (AD), which is the most common form of late-onset dementia. The extracellular region of TREM2 contains a single immunoglobulin superfamily domain and binds polyanionic ligands, such as bacterial lipopolysaccharide (LPS) and phospholipids8. Upon ligand binding, TREM2 transmits intracellular signals through an adaptor, DAP12 (also known as TYRO protein tyrosine kinase-binding protein (TYROBP)), which is associated with the transmembrane region of TREM2 and which recruits the protein tyrosine kinase SYK through its cytosolic immunoreceptor tyrosine-based activation motifs (ITAMs). TREM2 is a pro-tumorigenic marker of tumor-infiltrating macrophages in mouse models and human tumors that can be targeted to curb tumor growth and improve the efficacy of checkpoint blockade therapy while remodeling the landscape of tumor-infiltrating macrophages.

Molecular Weight:

43.2 kDa

NCBI Accession:

NP_112544


Application Details


Restrictions:

For Research Use only

Handling

Format:	Lyophilized
Buffer:	50 mM Tris, 100 mM Glycine, 25 mM Arginine, 150 mM NaCl, pH 7.5
Storage:	-20 °C





ELISA

Image 1. Immobilized Mouse TREM2, Fc Tag (ABIN6973291) at $1 \mu g/mL$ (100 $\mu L/well$) can bind A Antibody, Human IgG1 with a linear range of 0.6-5 ng/mL (QC tested).

SDS-PAGE

Image 2. Mouse TREM2, Fc Tag on under reducing (R) condition. The gel was stained overnight with Coomassie Blue. The purity of the protein is greater than 90 %.