antibodies .- online.com

# Datasheet for ABIN7013655 TREM2 Protein (AA 19-174) (His tag)

2 Images



#### Overview

Quantity:	100 µg
Target:	TREM2
Protein Characteristics:	AA 19-174
Origin:	Cynomolgus
Source:	HEK-293 Cells
Protein Type:	Recombinant
Biological Activity:	Active
Purification tag / Conjugate:	This TREM2 protein is labelled with His tag.

## Product Details


Sequence:	AA 19-174
Characteristics:	Mouse TREM2 Protein, Fc Tag
Purity:	>90 % as determined by SDS-PAGE.
Endotoxin Level:	Less than 1.0 EU per µg by the LAL method.


# Target Details

Target:	TREM2
Alternative Name:	TREM2 (TREM2 Products)
Background:	Triggering receptor expressed on myeloid cells 2 (TREM2) is a cell surface receptor of the
	immunoglobulin superfamily. The TREM2 is found in various tissue macrophages, such as CNS

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7013655 | 09/09/2023 | Copyright antibodies-online. All rights reserved.

	microglia, bone osteoclasts, alveolar, peritoneal and intestinal macrophages. TREM2 is also
	present on cultured bone marrow-derived macrophages and monocyte-derived dendritic cells.
	Some research have identified a rare variant of TREM2 that is a risk factor for Alzheimer
	disease (AD), which is the most common form of late-onset dementia. The extracellular region
	of TREM2 contains a single immunoglobulin superfamily domain and binds polyanionic ligands,
	such as bacterial lipopolysaccharide (LPS) and phospholipids8. Upon ligand binding, TREM2
	transmits intracellular signals through an adaptor, DAP12 (also known as TYRO protein tyrosine
	kinase-binding protein (TYROBP)), which is associated with the transmembrane region of
	TREM2 and which recruits the protein tyrosine kinase SYK through its cytosolic
	immunoreceptor tyrosine-based activation motifs (ITAMs). TREM2 is a pro-tumorigenic marker
	of tumor-infiltrating macrophages in mouse models and human tumors that can be targeted to
	curb tumor growth and improve the efficacy of checkpoint blockade therapy while remodeling
	the landscape of tumor-infiltrating macrophages.
Molecular Weight:	19.3 kDa
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Buffer:	PBS, pH 7.4
Storage:	-20 °C





### ELISA

**Image 1.** Immobilized Cynomolgus TREM2, His Tag (ABIN6973290) at  $1 \mu g/mL$  (100  $\mu L/well$ ) can bind A Antibody, Human IgG1 with a linear range of 0.2-8 ng/mL (QC tested).

### SDS-PAGE

**Image 2.** Cynomolgus TREM2, His Tag on under reducing (R) condition. The gel was stained overnight with Coomassie Blue. The purity of the protein is greater than 90 % .

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN7013655 | 09/09/2023 | Copyright antibodies-online. All rights reserved.