

# Datasheet for ABIN7013756 TNFSF15 Protein (AA 72-251) (His tag)

2 Images



Overview

Quantity:	100 µg
Target:	TNFSF15
Protein Characteristics:	AA 72-251
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Biological Activity:	Active
Purification tag / Conjugate:	This TNFSF15 protein is labelled with His tag.

## Product Details

Sequence:	AA 72-251
Characteristics:	Biotinylated Human TNFR2 / CD120b / TNFRSF1B Protein, His,Avitag™
Purity:	>90 % as determined by SDS-PAGE.
Endotoxin Level:	Less than 1.0 EU per $\mu$ g by the LAL method.


## Target Details

Target:	TNFSF15	
Alternative Name:	TL1A (TNFSF15 Products)	
Background:	TNF-like cytokine 1A (TL1A) and its receptors, death receptor 3 (DR3) and decoy receptor 3	
	(DcR3) are members of the TNF and TNF receptor superfamilies of proteins, respectively.	

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7013756 | 07/25/2024 | Copyright antibodies-online. All rights reserved.

	Binding of APC-derived TL1A to lymphocytic DR3 provides co-stimulatory signals for activated		
	lymphocytes. DR3 signaling affects not only the proliferative activity of and cytokine production		
	by effector lymphocytes, but also critically influences the development and suppressive function of regulatory T-cells. Whereas, DcR3 restricts the function of the TL1A/DR3 complex: attenuating T-cell activation and downregulating the secretion of pro-inflammatory cytokines.		
	Together with DR3 and DcR3, TL1A constitutes a cytokine system that actively interferes with		
	the regulation of immune responses.		
Molecular Weight:	22.4 kDa		
Pathways:	Positive Regulation of Endopeptidase Activity, Autophagy		
Application Details			
Application Notes:	MALS verified		
Restrictions:	For Research Use only		
Handling			
Format:	Lyophilized		
Buffer:	PBS, pH 7.4		

#### Images



#### ELISA

**Image 1.** Immobilized Human DcR3, Fc Tag (ABIN2181857,ABIN6938914) at 5  $\mu$ g/mL (100  $\mu$ L/well) can bind Human TL1A, His Tag (ABIN6973282) with a linear range of 0.3-2 ng/mL (QC tested).

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN7013756 | 07/25/2024 | Copyright antibodies-online. All rights reserved.

kDa	М	R
116.0	-	
66.2	-	
45.0	-	
35.0	-	-
25.0	-	-
18.4		
14.4	-	

### SDS-PAGE

**Image 2.** Human TL1A, His Tag on under reducing (R) condition. The gel was stained overnight with Coomassie Blue. The purity of the protein is greater than 90 % .

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN7013756 | 07/25/2024 | Copyright antibodies-online. All rights reserved.