antibodies - online.com







anti-SCD antibody (AA 265-359) (Biotin)



()	ve	K\ /		A .
	\cup	1 V/	Щ.	V۷

Quantity:	100 μL
Target:	SCD
Binding Specificity:	AA 265-359
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SCD antibody is conjugated to Biotin
Application:	ELISA, Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human SCD1
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Dog,Cow,Sheep,Pig,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	SCD
Alternative Name:	SCD1 (SCD Products)

Target Details

rarget betails		
Background:	Synonyms: SCD1, FADS5, SCDOS, MSTP008, Acyl-CoA desaturase, Delta(9)-desaturase, Delta-9	
	desaturase, Fatty acid desaturase, Stearoyl-CoA desaturase, SCD	
	Background: Terminal component of the liver microsomal stearyl-CoA desaturase system, that	
	utilizes O(2) and electrons from reduced cytochrome b5 to catalyze the insertion of a double	
	bond into a spectrum of fatty acyl-CoA substrates including palmitoyl-CoA and stearoyl-CoA.	
Gene ID:	6319	
UniProt:	000767	
Pathways:	Brown Fat Cell Differentiation	
Application Details		
Application Notes:	WB 1:300-5000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C for 12 months.	
Expiry Date:	12 months	