# antibodies -online.com





## anti-CACNA1I antibody (Intracellular)



Image



Go to Product page

_					
U	V	er	VI	е	W

Quantity:	25 μL	
Target:	CACNA1I	
Binding Specificity:	AA 1053-1067, Intracellular	
Reactivity:	Human, Rat, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunofluorescence (IF)	
Product Dotails		

#### **Product Details**

Immunogen:	Immunogen: Synthetic peptide
	Immunogen Sequence: CNGRMPNIAKDVFTK, corresponding to amino acid residues 1053-
	1067 of rat CaV3.3
Isotype:	IgG
Characteristics:	Anti-Cav3.3 (CACNA1I) Antibody is directed against an intracellular epitope of the CaV3.3
	channel. Anti-CaV3.3 (CACNA1I) Antibody (ABIN7042983, ABIN7043961 and ABIN7043962))
	can be used in western blot, immunohistochemical and immunocytochemical applications. It
	has been designed to recognize CaV3.3 from rat, human and mouse samples.
Purification:	Affinity purified on immobilized antigen.

### **Target Details**


Target:	CACNA1I
Alternative Name:	CaV3.3 (CACNA1I) (CACNA1I Products)
Background:	Alternative names: CaV3.3 (CACNA1I), Voltage-dependent T-type calcium channel subunit alpha1I (T-Type)
Gene ID:	56827
NCBI Accession:	NM_001003406
UniProt:	Q9Z0Y8

## **Application Details**

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

#### Handling

Format:	Lyophilized
Reconstitution:	$25~\mu\text{L},50~\mu\text{L}$ or 0.2 mL double distilled water (DDW), depending on the sample size.
Concentration:	0.75 mg/mL
Buffer:	Reconstituted antibody contains phosphate buffered saline (PBS), pH 7.4, 1 % BSA, 0.05 % Sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	RT,4 °C,-20 °C
Storage Comment:	Storage before reconstitution: The antibody ships as a lyophilized powder at room temperature. Upon arrival, it should be stored at -20°C.  Storage after reconstitution: The reconstituted solution can be stored at 4°C for up to 1 week.  For longer periods, small aliquots should be stored at -20°C. Avoid multiple freezing and thawing. Centrifuge all antibody preparations before use (10000 x g 5 min).



#### **Western Blotting**

**Image 1.** Western blot analysis of rat brain membranes: 
1. Anti-CaV3.3 (CACNA1I) Antibody (ABIN7042983,

ABIN7043961 and ABIN7043962), (1:200). 2. Anti-CaV3.3 (CACNA1I) Antibody, preincubated with Cav3.3/CACNA1I Blocking Peptide (#BLP-CC009).