antibodies -online.com





anti-Cyclin G2 antibody (AA 151-250) (Biotin)



_						
0	V	0	r٧	/[Θ	M

Quantity:	100 μL	
Target:	Cyclin G2 (CCNG2)	
Binding Specificity:	AA 151-250	
Reactivity:	Human, Mouse, Rat, Pig, Rabbit	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This Cyclin G2 antibody is conjugated to Biotin	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human Cyclin G2
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Pig, Rabbit, Rat
Predicted Reactivity:	Dog,Cow,Horse
Purification:	Purified by Protein A.

Target Details

Target:	Cyclin G2 (CCNG2)	
Alternative Name:	Cyclin G2 (CCNG2 Products)	

Target Details

. d. got 2 otdo			
Background:	Synonyms: Cyclin-G2, CCNG2		
	Background: Cyclin G2 may play a role in growth regulation and in negative regulation of cell		
	cycle progesssion. Cyclin G2 expression levels increase through the cell cycle to peak in the		
	mid/late-S phase and decrease during G2/M phase. It may also contribute in maintaining the		
	quiescent state of differentiated cells. Cyclin G2 is similar to cyclin A in the cyclin box, although		
	no kinase activity is detected.		
Gene ID:	901		
UniProt:	Q16589		
Application Details			
Application Notes:	WB 1:300-5000		
	IHC-P 1:200-400		
	IHC-F 1:100-500		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C for 12 months.		
Expiry Date:	12 months		