antibodies -online.com





anti-SELENBP1 antibody (AA 401-472)



Go to Product page

\sim			
	N/P	r\/	i⊢₩

Quantity:	100 μL
Target:	SELENBP1
Binding Specificity:	AA 401-472
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SELENBP1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunocytochemistry (ICC), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human SBP1/Selenium Binding Protein 1
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Dog,Cow,Rabbit
Purification:	Purified by Protein A.

Target Details

Target: SELENBP1

Target Details

Target Details		
Alternative Name:	Selenium Binding Protein 1 (SELENBP1 Products)	
Background:	Synonyms: SBP, SBP1, Selenbp2, Selenium binding protein 2, Selenium binding protein1,	
	SELNBP1, SP56, 56 kDa selenium binding protein.	
	Background: Selenium is an essential trace element that confers tolerance to toxicity arising	
	through exposure to heavy metals or other reactive xenobiotics. Selenium exhibits potent	
	anticarcinogenic properties, and deficiency of selenium may cause certain neurologic diseases.	
	Both effects are attributed to selenium-binding proteins. Selenium binding protein 1 is down-	
	regulated in lung adenocarcinoma, colorectal cander and ovarian cancer. It is two-fold	
	upregulated in the brains of patients suffering from schizophrenia, and is therefore a biomarker	
	for this disease.	
Gene ID:	1954	
Pathways:	Brown Fat Cell Differentiation	
Application Details		
Application Notes:	WB 1:300-5000	
	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
	ICC 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	

Handling

Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months