

[Go to Product page](#)

## Datasheet for ABIN705326 **anti-ARHGEF12 antibody (AA 515-615)**

### Overview

Quantity:	100 µL
Target:	ARHGEF12
Binding Specificity:	AA 515-615
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ARHGEF12 antibody is un-conjugated
Application:	ELISA, Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

### Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human LARG
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Pig,Rabbit
Purification:	Purified by Protein A.

### Target Details

Target:	ARHGEF12
---------	----------

## Target Details

Alternative Name:	LARG ( <a href="#">ARHGEF12 Products</a> )
Background:	<p>Synonyms: ARHGEF12, KIAA0382, leukemia-associated rho guanine nucleotide exchange factor, Leukemia-associated RhoGEF, PRO2792, Rho guanine exchange factor GEF 12, Rho guanine nucleotide exchange factor GEF 12, Rho guanine nucleotide exchange factor 12, Similar to Mouse Lsc oncogene, ARHGC_HUMAN.</p> <p>Background: Rho GTPases play a fundamental role in numerous cellular processes that are initiated by extracellular stimuli that work through G protein coupled receptors. The encoded protein may form a complex with G proteins and stimulate Rho-dependent signals. This protein is observed to form myeloid/lymphoid fusion partner in acute myeloid leukemia (from EntrezGene). LARG has also been implicated in linking heterotrimeric G proteins to microtubule organisation in regulation of cell polarity.</p>
Gene ID:	23365
Pathways:	<a href="#">Neurotrophin Signaling Pathway</a> , <a href="#">Regulation of G-Protein Coupled Receptor Protein Signaling</a>

## Application Details

Application Notes:	WB 1:300-5000 ELISA 1:500-1000 IHC-P 1:200-400 IHC-F 1:100-500 IF(IHC-P) 1:50-200 IF(IHC-F) 1:50-200 IF(ICC) 1:50-200
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C

## Handling

---

Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
------------------	---

---

Expiry Date:	12 months
--------------	-----------