# antibodies -online.com





# anti-TBL1XR1 antibody (AA 231-330) (HRP)



Go to Product page

$\sim$					
()	VE	۲۱	/1	$\triangle$	Λ

Quantity:	100 μL
Target:	TBL1XR1
Binding Specificity:	AA 231-330
Reactivity:	Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TBL1XR1 antibody is conjugated to HRP
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human TBLR1
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Dog,Cow,Pig,Chicken,Rabbit
Purification:	Purified by Protein A.

## Target Details

Target:	TBL1XR1
Alternative Name:	TBLR1 (TBL1XR1 Products)

## Target Details

_	
Background:	Synonyms: C21, DC42, IRA1, TBLR1, F-box-like/WD repeat-containing protein TBL1XR1, Nuclear
	receptor corepressor/HDAC3 complex subunit TBLR1, TBL1-related protein 1, Transducin beta-
	like 1X-related protein 1, TBL1XR1
	Background: F-box-like protein involved in the recruitment of the ubiquitin/19S proteasome
	complex to nuclear receptor-regulated transcription units. Plays an essential role in
	transcription activation mediated by nuclear receptors. Probably acts as integral component of
	the N-Cor corepressor complex that mediates the recruitment of the 19S proteasome complex,
	leading to the subsequent proteasomal degradation of N-Cor complex, thereby allowing
	cofactor exchange, and transcription activation.
Gene ID:	79718
UniProt:	Q9BZK7
Pathways:	Regulation of Lipid Metabolism by PPARalpha
Application Details	
Application Notes:	WB 1:300-5000
	IHC-P 1:200-400
	IHC-F 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish peroxidase.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

		1.	
$\vdash$	land	ling	
1 1	ıaııu	11111	۰

Expiry Date:

12 months