antibodies .- online.com





anti-SLC2A8 antibody (AA 278-292) (Cy3)



Go to Product page

| \sim | |
|---------|----------|
| ()\/\ | rview |
| \circ | 1 410 44 |

| Quantity: | 100 μL |
|----------------------|---|
| Target: | SLC2A8 |
| Binding Specificity: | AA 278-292 |
| Reactivity: | Human, Mouse, Rat |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This SLC2A8 antibody is conjugated to Cy3 |
| Application: | Western Blotting (WB) |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human GLUT8 |
|-------------------|---|
| Isotype: | IgG |
| Cross-Reactivity: | Human, Mouse, Rat |
| Purification: | Purified by Protein A. |

Target Details

| Target: | SLC2A8 |
|-------------------|---|
| Alternative Name: | Glut8 (SLC2A8 Products) |
| Background: | Synonyms: GLUT8, GLUTX1, Solute carrier family 2, facilitated glucose transporter member 8, Glucose transporter type 8, GLUT-8, Glucose transporter type X1, SLC2A8 |

Target Details

| | Background: Insulin-regulated facilitative glucose transporter. Binds cytochalasin B in a glucose-inhibitable manner. Seems to be a dual-specific sugar transporter as it is inhibitable by fructose (By similarity). |
|----------|---|
| Gene ID: | 29988 |
| UniProt: | Q9NY64 |

Application Details

Storage:

Expiry Date:

Storage Comment:

| Application Details | |
|---------------------|---|
| Application Notes: | IF(IHC-P) 1:50-200 |
| Restrictions: | For Research Use only |
| Library allies as | |
| Handling | |
| Format: | Liquid |
| Concentration: | 1 μg/μL |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and |
| | 50 % Glycerol. |
| Preservative: | Sodium azide |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE, which |

Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

should be handled by trained staff only.

-20 °C

12 months