antibodies -online.com





anti-LONP1 antibody (AA 361-460) (FITC)



Go to Product page

| () | 1/0 | r\ /1 | 014 | |
|-----|-----|-------|-----|---|
| () | ve | I V I | -v | V |
| | | | | |

| Quantity: | 100 μL |
|----------------------|--|
| Target: | LONP1 |
| Binding Specificity: | AA 361-460 |
| Reactivity: | Human, Mouse, Rat |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This LONP1 antibody is conjugated to FITC |
| Application: | Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human LONP1 |
|-----------------------|---|
| Isotype: | IgG |
| Cross-Reactivity: | Human, Mouse, Rat |
| Predicted Reactivity: | Dog,Cow,Pig,Horse,Chicken |
| Purification: | Purified by Protein A. |

Target Details

| Target: | LONP1 |
|-------------------|------------------------|
| Alternative Name: | LONP1 (LONP1 Products) |

Target Details

Storage Comment:

| ranget Betane | |
|---------------------|---|
| Background: | Synonyms: LON, LONP, hLON, LonHS, PRSS15, Lon protease homolog, mitochondrial, Lon |
| | protease-like protein, Mitochondrial ATP-dependent protease Lon, Serine protease 15, LONP1 |
| | Background: ATP-dependent serine protease that mediates the selective degradation of |
| | misfolded, unassembled or oxidatively damaged polypeptides as well as certain short-lived |
| | regulatory proteins in the mitochondrial matrix. May also have a chaperone function in the |
| | assembly of inner membrane protein complexes. Participates in the regulation of mitochondrial |
| | gene expression and in the maintenance of the integrity of the mitochondrial genome. Binds to |
| | mitochondrial promoters and RNA in a single-stranded, site-specific, and strand-specific |
| | manner. May regulate mitochondrial DNA replication and/or gene expression using site- |
| | specific, single-stranded DNA binding to target the degradation of regulatory proteins binding to |
| | adjacent sites in mitochondrial promoters. Endogenous substrates include mitochondrial |
| | steroidogenic acute regulatory (StAR) protein. |
| Gene ID: | 9361 |
| UniProt: | P36776 |
| Application Details | |
| Application Notes: | IF(IHC-P) 1:50-200 |
| | IF(IHC-F) 1:50-200 |
| | IF(ICC) 1:50-200 |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Liquid |
| Concentration: | 1 μg/μL |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and |
| | 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be |
| | handled by trained staff only. |
| Storage: | -20 °C |
| | |

Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

| | | 1. | |
|----------|-------|------|---|
| \vdash | land | lın | |
| | ıaııu | 1111 | U |
| | | | |

Expiry Date:

12 months