

Datasheet for ABIN706160 anti-TBRG1 antibody (AA 28-130) (HRP)



| _ | | | | |
|----|-----|-----|-----|---|
| () | ve. | rv/ | 101 | Λ |

| Overview | | |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|--|
| Quantity: | 100 μL | |
| Target: | TBRG1 | |
| Binding Specificity: | AA 28-130 | |
| Reactivity: | Human, Rat | |
| Host: | Rabbit | |
| Clonality: | Polyclonal | |
| Conjugate: | This TBRG1 antibody is conjugated to HRP | |
| Application: | Western Blotting (WB), ELISA, Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)) | |
| Product Details | | |
| Immunogen: | KLH conjugated synthetic peptide derived from human TBRG1 | |
| Isotype: | IgG | |
| Cross-Reactivity: | Human, Rat | |
| Predicted Reactivity: | Mouse,Dog,Cow,Pig,Horse,Rabbit | |
| Purification: | Purified by Protein A. | |
| Target Details | | |
| Target: | TBRG1 | |
| Alternative Name: | TBRG1 (TBRG1 Products) | |

Target Details

| rarget Details | | |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Background: | Synonyms: NIAM, TB-5, Transforming growth factor beta regulator 1, Nuclear interactor of ARF and Mdm2, TBRG1 Background: Acts as a growth inhibitor. Can activate p53/TP53, causes G1 arrest and collaborates with CDKN2A to restrict proliferation, but does not require either protein to inhibit DNA synthesis. Redistributes CDKN2A into the nucleoplasm. Involved in maintaining chromosomal stability. | |
| Gene ID: | 84897 | |
| UniProt: | Q3YBR2 | |
| Application Details | | |
| Application Notes: | WB 1:300-5000 IHC-P 1:200-400 IHC-F 1:100-500 | |
| Restrictions: | For Research Use only | |
| Handling | | |
| Format: | Liquid | |
| Concentration: | 1 μg/μL | |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. | |
| Preservative: | ProClin | |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. | |
| Handling Advice: | Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish peroxidase. | |
| Storage: | -20 °C | |
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. | |
| Expiry Date: | 12 months | |