

Datasheet for ABIN706393

anti-RAD21 antibody (AA 531-631) (Biotin)



_				
()	ve.	rv/	101	Λ

Overview		
Quantity:	100 μL	
Target:	RAD21	
Binding Specificity:	AA 531-631	
Reactivity:	Human, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This RAD21 antibody is conjugated to Biotin	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	
Product Details		
Immunogen:	KLH conjugated synthetic peptide derived from human Rad2	
Isotype:	IgG	
Cross-Reactivity:	Human, Rat	
Predicted Reactivity:	Mouse,Dog,Cow,Pig,Horse,Chicken	
Purification:	Purified by Protein A.	
Target Details		
Target:	RAD21	
Alternative Name:	RAD21 (RAD21 Products)	

Target Details

Background:	Synonyms: HR21, MCD1, NXP1, SCC1, CDLS4, hHR21, HRAD21, Double-strand-break repair			
	protein rad21 homolog, Nuclear matrix protein 1, NXP-1, SCC1 homolog, RAD21, KIAA0078			
	Background: Cleavable component of the cohesin complex, involved in chromosome cohesion			
	during cell cycle, in DNA repair, and in apoptosis. The cohesin complex is required for the			
	cohesion of sister chromatids after DNA replication. The cohesin complex apparently forms a			
	large proteinaceous ring within which sister chromatids can be trapped. At metaphase-			
	anaphase transition, this protein is cleaved by separase/ESPL1 and dissociates from			
	chromatin, allowing sister chromatids to segregate. The cohesin complex may also play a role			
	in spindle pole assembly during mitosis. Also plays a role in apoptosis, via its cleavage by			
	caspase-3/CASP3 or caspase-7/CASP7 during early steps of apoptosis: the C-terminal 64 kDa			
	cleavage product may act as a nuclear signal to initiate cytoplasmic events involved in the			
	apoptotic pathway.			
Gene ID:	5885			
UniProt:	060216			
Pathways:	Positive Regulation of Endopeptidase Activity			
Application Details				
Application Notes:	WB 1:300-5000			
	IHC-P 1:200-400			
	IHC-F 1:100-500			
Restrictions:	For Research Use only			
Handling				
Format:	Liquid			
Concentration:	1 μg/μL			
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and			
	50 % Glycerol.			
Preservative:	ProClin			
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be			
	handled by trained staff only.			
Storage:	-20 °C			

Handling

Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months