

## Datasheet for ABIN7072220

## Recombinant anti-Tyrosinase-Related Protein 1 antibody



Go to Product page

|  | er |  |  |
|--|----|--|--|
|  |    |  |  |
|  |    |  |  |

| 200 μg   |  |
|--|--|
| Tyrosinase-Related Protein 1 (TYRP1)   |  |
| Human  |  |
| Mouse  |  |
| Recombinant Antibody   |  |
| Monoclonal   |  |
| This Tyrosinase-Related Protein 1 antibody is un-conjugated  |  |
| Immunofluorescence (IF), Flow Cytometry (FACS), Western Blotting (WB), ELISA, Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunoprecipitation (IP) |  |
|  |  |

## **Product Details**

| 1. Todate Dotaile |   |  |  |
|-------------------|---|--|--|
| Purpose:          | Anti-TRP-1, gp75 [TA99], Mouse IgG2a, kappa   |  |  |
| Immunogen:        | 70-75 kDa pigmentation-associated glycoprotein in human melanoma cell lines.  |  |  |
| Clone:            | TA99  |  |  |
| Isotype:          | IgG2a kappa   |  |  |
| Specificity:      | Binds Tyrosinase-related protein-1 (TRP-1), a 70-75k enzyme located in melanocytes, which are specialized cells that produce a pigment called melanin, helping to stabilize tyrosinase, which is the enzyme responsible for the first step in melanin production and determine the shape of melanosomes, which are the structures in melanocytes where melanin is produced. |  |  |
| Characteristics:  | Original Species of Ab: Mouse Original Format of Ab: IgG2a  |  |  |

## **Product Details** Protein A affinity purified Purification: **Target Details** Tyrosinase-Related Protein 1 (TYRP1) Target: Alternative Name TRP-1, gp75 (TYRP1 Products) Background: Melanoma antigen gp75, 5,6-dihydroxyindole-2-carboxylic acid oxidase, DHICA oxidase, Catalase B, Glycoprotein 75, Tyrosinase-related protein 1, TRP, TRP-1, TRP1 UniProt: P17643 **Application Details** Application Notes: This antibody binds to human and murine TRP-1 and had been under evaluation for the treatment of tumours. Restrictions: For Research Use only Handling Concentration: 1 mg/mL Buffer: PBS with 0.02 % Proclin 300. Preservative: ProClin Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. 4 °C,-20 °C

Storage:

Storage Comment:

Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.