

Datasheet for ABIN7076601
anti-CD45 antibody (iFluor™700)



[Go to Product page](#)

1 Image

Overview

Quantity:	50 tests
Target:	CD45 (PTPRC)
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This CD45 antibody is conjugated to iFluor™700
Application:	Flow Cytometry (FACS)

Product Details

Purpose:	CD45 iFluor™ 700 Antibody
Immunogen:	Human T lymphocytes
Clone:	F10-89-4
Isotype:	IgG2a, kappa
Characteristics:	The clone F10-89-4, a mouse monoclonal antibody, recognizes a hematopoietic cell surface antigen known as CD45 which is present on all human leukocytes including lymphocytes, monocytes, granulocytes, eosinophils, and basophils in peripheral blood. CD45 has a role in signal transduction, modifying signals from other surface molecules. The CD45 antibody has been reported to react weakly with mature circulating erythrocytes and platelets. The antibody recognizes the human leukocyte common antigen which is found on cells from spleen, lymph nodes, 83 % bone marrow cells, and granulocytes. The antigen recognized by F10-89-4 is a glycoprotein with a molecular weight of 190 kDa to 215 kDa

Product Details

Purification:	Purified
Purity:	>95 %
Grade:	GMP Grade (Analyte)

Target Details


Target:	CD45 (PTPRC)
Alternative Name:	CD45 (PTPRC Products)
Gene ID:	5788
NCBI Accession:	NM_002838
UniProt:	P08575
Pathways:	TCR Signaling , Regulation of Leukocyte Mediated Immunity , Positive Regulation of Immune Effector Process , Production of Molecular Mediator of Immune Response , CXCR4-mediated Signaling Events , BCR Signaling

Application Details

Application Notes:	FC: 5 µL/test We recommend that every lab carries out an initial titration study before running your samples to ensure that the optimal concentration is selected for your application.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	PBS, pH 7.2, 0.09 % Sodium azide and 0.2 % (w/v) BSA
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C
Storage Comment:	2-8°C, Conjugated antibodies should never be frozen.



Flow Cytometry

Image 1.