

## Datasheet for ABIN7076683

## anti-FCGR1A antibody (FITC)

# 1 Image



#### Go to Product page

_						
	1//	Д	rv	16	٦/	٨
U	W	$\vdash$	ΙV	Ιt	٦,	/V

Quantity:	50 tests	
Target:	FCGR1A	
Reactivity:	Human	
Host:	Mouse	
Clonality:	Monoclonal	
Conjugate:	This FCGR1A antibody is conjugated to FITC	
Application:	Flow Cytometry (FACS)	


### **Product Details**

Purpose:	CD64 FITC Antibody	
Immunogen:	Partially purified detergent lysate of the high affinity Fc receptor from U937 cells	
Clone:	10-1	
Isotype:	IgG1, kappa	
Characteristics:	The clone 10.1, a mouse monoclonal antibody selectively binds with a 72kD single chain type I glycoprotein known as CD64 or FcγRI. CD64 is a member of the immunoglobulin superfamily. FcγRI is expressed on the cell surface in association with the γ-chain. Expression of CD64 is observed on monocytes/macrophages, dendritic cells, and activated granulocytes. CD64 plays important role in the process of antigen capture, phagocytosis and antibodydependent cellular cytotoxicity (ADCC).	
Purification:	Purified	
Purity:	>95 %	

## **Product Details** Grade: GMP Grade (Analyte) **Target Details** Target: FCGR1A Alternative Name CD64 (FCGR1A Products) Gene ID: 2209 UniProt: P12314 Regulation of Leukocyte Mediated Immunity, Positive Regulation of Immune Effector Process Pathways: **Application Details** FC: $5 \mu L/test$ We recommend that every lab carries out an initial titration study before running Application Notes: your samples to ensure that the optimal concentration is selected for your application. Restrictions: For Research Use only Handling Format: Liquid Buffer: PBS, pH 7.2, 0.09 % Sodium azide and 0.2 % (w/v) BSA Preservative: Sodium azide Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. 4°C Storage:

2-8°C, Conjugated antibodies should never be frozen.

Storage Comment:



### Flow Cytometry

Image 1.