# antibodies - online.com







# anti-HOMER2 antibody (AA 301-354)



$\sim$			
	N/P	r\/	i⊢₩

Quantity:	100 μL	
Target:	HOMER2	
Binding Specificity:	AA 301-354	
Reactivity:	Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This HOMER2 antibody is un-conjugated	
Application:	ELISA, Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC)	

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human HOMER2
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human,Mouse,Cow,Pig,Rabbit
Purification:	Purified by Protein A.

#### **Target Details**

	Target:	HOMER2
--	---------	--------

### Target Details

Alternative Name:	HOMER2 (HOMER2 Products)	
Background:	Synonyms: Cupidin, HOME2_HUMAN, HOMER 2, HOMER 2A, HOMER 2B, Homer homolog 2	
	Drosophila, Homer homolog 3, Homer neuronal immediate early gene 2, Homer protein	
	homolog 2, Homer-2, Homer2, HOMER2A, HOMER2B, Vesl 2, Vesl2.	
	Background: Postsynaptic density scaffolding protein. Binds and cross-links cytoplasmic	
	regions of GRM1, GRM5, ITPR1, DNM3, RYR1, RYR2, SHANK1 and SHANK3. By physically	
	linking GRM1 and GRM5 with ER-associated ITPR1 receptors, it aids the coupling of surface	
	receptors to intracellular calcium release. May also couple GRM1 to PI3 kinase through its	
	interaction with AGAP2. Isoforms can be differently regulated and may play an important role in	
	maintaining the plasticity at glutamatergic synapses.	
Gene ID:	9455	
UniProt:	Q9NSB8	
Pathways:	Synaptic Membrane, Regulation of G-Protein Coupled Receptor Protein Signaling	
Application Details		
Application Notes:	WB 1:300-5000	
	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
	ICC 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	

## Handling

Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months