antibodies .- online.com





anti-MARK4 antibody (pSer423)



Go to Product page

\sim					
()	VE	۲۱	/1	\triangle	Λ

Target Details

MARK4

Target:

Quantity:	100 μL	
Target:	MARK4	
Binding Specificity:	pSer423	
Reactivity:	Human, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This MARK4 antibody is un-conjugated	
Application:	ELISA, Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	
Product Details		
Immunogen:	KLH conjugated synthetic phosphopeptide derived from human MARK4 around the phosphorylation site of Ser423.	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse	
Predicted Reactivity:	Rat,Dog,Cow,Horse	
Purification:	Purified by Protein A.	

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN707951 | 03/06/2024 | Copyright antibodies-online. All rights reserved.

Target Details

Alternative Name:	MARK4 (MARK4 Products)	
Background:	Synonyms: MARK4phospho 423, MARK 4, MARK-4, MARK 4L, MARK L1, MARK4, MARK4 serine	
	/ threonine protein kinase, MARK4 serine/threonine protein kinase, MARK4_HUMAN, MARKL 1,	
	MARKL1, MAP / microtubule affinity regulating kinase 4, MAP / microtubule affinity regulating	
	kinase 4L, MAP/microtubule affinity regulating kinase 4, MAP/microtubule affinity regulating	
	kinase like 1, MAP/microtubule affinity-regulating kinase 4, MAP/microtubule affinity-regulating	
	kinase-like 1, Putative protein product of Nbla00650, FLJ90097, KIAA1860, mKIAA1860.	
	Background: This gene encodes a member of the microtubule affinity-regulating kinase family.	
	These protein kinases phosphorylate microtubule-associated proteins and regulate the	
	transition between stable and dynamic microtubules. The encoded protein is associated with	
	the centrosome throughout mitosis and may be involved in cell cycle control. Expression of this	
	gene is a potential marker for cancer, and the encoded protein may also play a role in	
	Alzheimer's disease. Pseudogenes of this gene are located on both the short and long arm of	
	chromosome 3. Alternatively spliced transcript variants encoding multiple isoforms have been	
	observed for this gene. [provided by RefSeq, Dec 2010].	
Gene ID:	57787	
Application Details		
Application Notes:	WB 1:300-5000	
	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	

Handling

Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.	
Expiry Date:	12 months	