# antibodies .- online.com







### Overview

Quantity:	100 μL
Target:	MAL
Binding Specificity:	AA 65-153
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MAL antibody is un-conjugated
Application:	ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffinembedded Sections) (IF (p)), Western Blotting (WB), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

## **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human MAL
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat
Purification:	Purified by Protein A.
Target Details	

Target:	MAL
Alternative Name:	MAL (MAL Products)

## Target Details

rarget Details	
Background:	Synonyms: mal, MAL protein gene, Mal T-cell dferentiation protein, MAL_HUMAN, MALGENE,
	MPV17, Myelin and lymphocyte protein, T-cell dferentiation protein MAL, T-lymphocyte
	maturation-associated protein, VIP17.
	Background: The protein encoded by this gene is a highly hydrophobic integral membrane
	protein belonging to the MAL family of proteolipids. The protein has been localized to the
	endoplasmic reticulum of T-cells and is a candidate linker protein in T-cell signal transduction
	In addition, this proteolipid is localized in compact myelin of cells in the nervous system and
	has been implicated in myelin biogenesis and/or function. The protein plays a role in the
	formation, stabilization and maintenance of glycosphingolipid-enriched membrane
	microdomains. Alternative splicing produces four transcript variants which vary from each
	other by the presence or absence of alternatively spliced exons 2 and 3. [provided by RefSeq,
	Jul 2008].
Gene ID:	4118
Pathways:	Asymmetric Protein Localization
Application Details	
Application Notes:	WB 1:300-5000
	ELISA 1:500-1000
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be

handled by trained staff only.

# Handling

Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months