# antibodies -online.com





Datasheet for ABIN708791

# anti-BDH1 antibody (AA 241-343)



#### Overview

Quantity:	100 μL
Target:	BDH1
Binding Specificity:	AA 241-343
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This BDH1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human BDH1	
Isotype:	IgG	
Cross-Reactivity:	Human	
Predicted Reactivity:	Mouse,Rat,Horse,Rabbit	
Purification:	Purified by Protein A.	

# Target Details

Target:	BDH1	

# Target Details

Alternative Name:	BDH1 (BDH1 Products)	
Background:	Synonyms: 3 hydroxybutyrate dehydrogenase heart, mitochondrial, BDH, BDH-1, D beta	
	hydroxybutyrate dehydrogenase, mitochondrial, 3-hydroxybutyrate dehydrogenase, D-beta-	
	hydroxybutyrate dehydrogenase, mitochondrial, BDH_HUMAN .	
	Background: This gene encodes a member of the short-chain dehydrogenase/reductase gene	
	family. The encoded protein forms a homotetrameric lipid-requiring enzyme of the	
	mitochondrial membrane and has a specific requirement for phosphatidylcholine for optimal	
	enzymatic activity. The encoded protein catalyzes the interconversion of acetoacetate and (R)	
	3-hydroxybutyrate, the two major ketone bodies produced during fatty acid catabolism.	
	Alternatively spliced transcript variants encoding the same protein have been described.	
	[provided by RefSeq, Jul 2008].	
Gene ID:	622	
Pathways:	Response to Growth Hormone Stimulus	
Application Details		
Application Notes:	WB 1:300-5000	
	ELISA 1:500-1000	
	FCM 1:20-100	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	

# Handling

Storage:	4 °C,-20 °C
Storage Comment: Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.	
Expiry Date:	12 months