antibodies -online.com





anti-CYP46A1 antibody (AA 51-150) (Biotin)



Go to Product page

| () | 1 / | 0 | rv | / 1 / | 71 | Α. |
|--------|-----|--------|------|-------|----|------|
| | 1// | - | 1 \/ | 16 | | 1/1/ |
| \sim | v | \sim | 1 V | ١, | _ | v v |

| Quantity: | 100 μL | |
|----------------------|---|--|
| Target: | CYP46A1 | |
| Binding Specificity: | AA 51-150 | |
| Reactivity: | Mouse | |
| Host: | Rabbit | |
| Clonality: | Polyclonal | |
| Conjugate: | This CYP46A1 antibody is conjugated to Biotin | |
| Application: | Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)) | |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human CYP46 |
|-----------------------|---|
| Isotype: | IgG |
| Cross-Reactivity: | Mouse |
| Predicted Reactivity: | Human,Rat,Dog,Cow,Sheep,Horse,Rabbit |
| Purification: | Purified by Protein A. |

Target Details

| Target: | CYP46A1 | |
|-------------------|--------------------------|--|
| Alternative Name: | CYP46 (CYP46A1 Products) | |

Target Details

Expiry Date:

12 months

| rarget betails | | |
|---------------------|---|--|
| Background: | Synonyms: Cholesterol 24-hydroxylase, CP46, CYP46, CP46A_HUMAN, cytochrome P450 family 46. | |
| | Background: The Cyp46 gene encodes a member of the cytochrome P450 superfamily of | |
| | enzymes. The cytochrome P450 proteins are monooxygenases which catalyze many reactions | |
| | involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. This | |
| | endoplasmic reticulum protein is expressed exclusively in the brain, where it converts | |
| | cholesterol to 24S-hydroxycholesterol by adding a hydroxyl group to cholesterol, producing a | |
| | product that is more soluble than cholesterol and able to be exported from the brain.Cyp46 is | |
| | also known as 24S-cholesterol hydroxylase. | |
| Gene ID: | 10858 | |
| Application Details | | |
| Application Notes: | WB 1:300-5000 | |
| | IHC-P 1:200-400 | |
| | IHC-F 1:100-500 | |
| Restrictions: | For Research Use only | |
| Handling | | |
| Format: | Liquid | |
| Concentration: | 1 μg/μL | |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and | |
| | 50 % Glycerol. | |
| Preservative: | ProClin | |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be | |
| | handled by trained staff only. | |
| Storage: | -20 °C | |
| Storage Comment: | Store at -20°C for 12 months. | |
| | | |