

Datasheet for ABIN7091283

anti-IL23R antibody (AA 231-330) (HRP)



Overview

| Quantity: | 100 μL |
|----------------------|------------------------------------------|
| Target: | IL23R |
| Binding Specificity: | AA 231-330 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This IL23R antibody is conjugated to HRP |
| Application: | Western Blotting (WB) |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human IL-23R |
|-----------------------|------------------------------------------------------------|
| Isotype: | IgG |
| Cross-Reactivity: | Human |
| Predicted Reactivity: | Rat |
| Purification: | Purified by Protein A. |

Target Details

| Target: | IL23R |
|-------------------|------------------------------------------------------------------------------------------|
| Alternative Name: | IL-23R (IL23R Products) |
| Background: | Synonyms: IL23 Receptor, IL-23R, IL23R, interleukin 23 receptor, IL 23R, IL-23 receptor, |

IL23R_HUMAN, Interleukin-23 receptor.

Background: Associates with IL12RB1 to form the interleukin-23 receptor. Binds IL23 and mediates T-cells, NK cells and possibly certain macrophage/myeloid cells stimulation probably through activation of the Jak-Stat signaling cascade. IL23 functions in innate and adaptive immunity and may participate in acute response to infection in peripheral tissues. IL23 may be responsible for autoimmune inflammatory diseases and be important for tumorigenesis. Subunit: Heterodimer with IL12RB1. In presence of IL23, the heterodimer forms the IL23 receptor. Interacts with JAK2 and in presence of IL23 with STAT3.

Gene ID: 149233

UniProt: Q5VWK5

Pathways: Regulation of Leukocyte Mediated Immunity, Positive Regulation of Immune Effector Process,

Activated T Cell Proliferation

Application Details

Application Notes: WB 1:300-5000

Restrictions: For Research Use only

Handling

 Concentration:
 1 μg/μL

 Buffer:
 Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

 Preservative:
 ProClin

 Precaution of Use:
 This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

 Storage:
 -20 °C

 Storage Comment:
 Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.