

Datasheet for ABIN7092717 IL4 Receptor Protein (AA 26-232) (His tag)

2 Images



Overview

Quantity:	100 µg
Target:	IL4 Receptor (IL4R)
Protein Characteristics:	AA 26-232
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This IL4 Receptor protein is labelled with His tag.

Product Details


Purpose:	Recombinant human IL4RA protein with C-terminal 6xHis tag
Specificity:	IL4RA (Met26-His232) 6xHis tag
Characteristics:	Extracellular Domain Protein
Purification:	Purified from cell culture supernatant by affinity chromatography
Purity:	The purity of the protein is greater than 95 % as determined by SDS-PAGE and Coomassie blue
	staining.

Target Details

Target:	IL4 Receptor (IL4R)
Alternative Name:	IL4RA (IL4R Products)
Background:	This gene encodes the alpha chain of the interleukin-4 receptor, a type I transmembrane protein

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7092717 | 07/25/2024 | Copyright antibodies-online. All rights reserved.

	that can bind interleukin 4 and interleukin 13 to regulate IgE production. The encoded protein
	also can bind interleukin 4 to promote differentiation of Th2 cells. A soluble form of the
	encoded protein can be produced by proteolysis of the membrane-bound protein, and this
	soluble form can inhibit IL4-mediated cell proliferation and IL5 upregulation by T-cells. Allelic
	variations in this gene have been associated with atopy, a condition that can manifest itself as
	allergic rhinitis, sinusitus, asthma, or eczema. Polymorphisms in this gene are also associated
	with resistance to human immunodeficiency virus type-1 infection. Alternate splicing results in
	multiple transcript variants.
Molecular Weight:	predicted molecular mass of 24.6 kDa after removal of the signal peptide. The apparent
	molecular mass of IL4RA-His is 35-55 kDa due to glycosylation.
UniProt:	P24394
Pathways:	JAK-STAT Signaling, Positive Regulation of Immune Effector Process
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Buffer:	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8 % trehalose is added as protectants
Buffer:	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8 % trehalose is added as protectants before lyophilization.
Buffer: Storage:	
	before lyophilization.
Storage:	before lyophilization. -20 °C,-80 °C
Storage:	before lyophilization. -20 °C,-80 °C Store at -20 °C to -80 °C for 12 months in lyophilized form. After reconstitution, if not intended for



ELISA

Image 1. ELISA plate pre-coated by $1 \mu g/mL$ (100 $\mu L/well$) Human IL-4RA , His tagged protein (ABIN7092717, ABIN7272258 and ABIN7272259) can bind Anti-IL-4RA Neutralizing antibody ABIN7477984 and ABIN7490906 in a linear range of 16-80 ng/mL.

SDS-PAGE

Image 2. Human IL4RA Protein, His Tag on SDS-PAGE under reducing condition.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN7092717 | 07/25/2024 | Copyright antibodies-online. All rights reserved.